



# SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 29-Feb-2024 Revision Number 2.03

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	SAF	ELOOKTM Load	I-Green (6×)		
Product Code	193-	18151,199-1815	3,197-18154		
SupplierFUJIFILM Wako Pure 1-2 Doshomachi 3-Ch Phone: +81-6-6203-37 Fax: +81-6-6203-2029Emergency telephone number Recommended uses Restrictions on useFUJIFILM Wako Pure 1-2 Doshomachi 3-Ch Phone: +81-6-6203-374 For research use only Seek expert judgment			Chuo-ku, Osaka 540- 270-8571		ommended.
	Sectio	on 2: HAZARDS	IDENTIFICATI	ON	
	000110				
GHS classification <u>Classification of the sub</u> Serious eye damage/eye Pictograms	e irritation			Category 2B	
Signal word	Warni	ng			
Hazard statements H320 - Causes eye irr	itation				
Precautionary statemen • Wash face, hands an Precautionary statemen • IF IN EYES: Rinse c rinsing • If eye irritation persis Precautionary statemen • Not applicable Precautionary statemen • Not applicable	nd any exposed sk ts-(Response) autiously with wate sts: Get medical ad ts-(Storage)	er for several minutes.	•	ses, if present and e	easy to do. Continue
Others Other hazards	Not av	vailable			
Sec	tion 3: COMF	OSITION/INFO		NGREDIENTS	
Single Substance or Mixture Mixture					
Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dimethyl Sulfoxide	50.0	78.13	(2)-1553	*	67-68-5
Water	<30.0	18.02	<u> </u>	N/A	7732-18-5
Glycerol	20.0	92.09	(2)-242	*	56-81-5
Bromophenol Blue	<1.0	669.96	(4)-907,(5)-3566	8-(8)-13	115-39-9

2-Amino-2-hydroxymeth

yl-1,3-propanediol Fluorochrome <1.0

<1.0

(2)-318

N/A

121.14

N/A

N/A

77-86-1

N/A-19-1815-1

#### Note on ISHL No.:

\* in the table means announced chemical substances.

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

### No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### **Handling**

#### **Technical measures**

Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and

scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Safe packaging material Incompatible substances Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Polypropylene Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

[	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
	Glycerol	N/A	N/A	TWA 10mg/m 3 (vapor)
	56-81-5			5 ( I )

#### Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

brown
liquid
no data available
no data available

**Particle characteristics** 

no data available

# Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulfur oxides (SOx)

### Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl Sulfoxide	14,500 mg/kg ( Rat )	40,000 mg/kg ( Rat )	>5,330 mg/m³ ( Rat ) 4 h
Glycerol	12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat)1 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Dimethyl Sulfoxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
<b>,</b>	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chemical Name Dimethyl Sulfoxide		source information	-

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	no data available
Chemical Name	germ cell mutagencity source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.
Carcinogenicity	no data available
Chemical Name	Carcinogenicity source information
Dimethyl Sulfoxide	Based on the NITE GHS classification results.

Reproductive toxicity n	ive toxicity no data available	
Chemical Name	Reproductive toxicity source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
STOT-single exposure n	o data available	
Chemical Name	STOT -single exposure- source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
STOT-repeated exposure n	o data available	
Chemical Name	STOT -repeated exposure- source information	

Dimethyl Sulfoxide	Based on the NITE GHS classification results.	
Aspiration hazard no da	ata available	
Chemical Name	Aspiration Hazard source information	
Dimethyl Sulfoxide	Based on the NITE GHS classification results.	

## Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dimethyl Sulfoxide	N/A	N/A	EC50 : Artemia
_			6830 mg/L 24 h
Glycerol	N/A	LC50:Oncorhynchus mykiss	EC50:Daphnia magna
-		51 - 57 mL/L 96 h	500 mg/L 24 h

Other data	no data available		
	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
		aquatic environment source information	aquatic environment source information
	Dimethyl Sulfoxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	-	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **Section 14: TRANSPORT INFORMATION**

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class	Not regulated -

Packing group Environmentally Hazardous Not applicable Substance

### Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act	t Not applicable
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Regulations for the carriage	Not applicable
and storage of dangerous goods in ship	
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Law	
Pollutant Release and Transfer	Not applicable
Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

# Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text. GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet