



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 1.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Silver Standard Solution (Ag 1000)
Product Code	191-18691

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Corrosive to metalsCategory 1Acute toxicity - Inhalation (Vapors)Category 3Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity (single exposure)Category 2Category 2 respiratory systemCategory 2

Specific target organ toxicity (repeated exposure)

Category 2 respiratory system, teeth

Pictograms



Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H371 - May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

Precautionary statements-(Prevention)

- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not eat, drink or smoke when using this product
- Keep only in original container

Precautionary statements-(Response)

Category 2

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- · Absorb spillage to prevent material damage

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up
- · Store in corrosive resistant/ container with a resistant inner liner

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	<95	18.02	-	N/A	7732-18-5
Nitric Acid	5	63.01	(1)-394	*	7697-37-2
Silver nitrate	0.10	169.87	(1)-8	*	7761-88-8

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

<u>Storage</u>

Safe storage conditions

Storage conditions Keep container protect from light and tightly closed in well ventilated cool place under

25°C

Safe packaging material Polyethylene Incompatible substances Alkali, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Nitric Acid	TWA: 2 ppm OEL	N/A	STEL: 4 ppm
7697-37-2	TWA: 5.2 mg/m ³ OEL		TWA: 2 ppm
Silver nitrate	TWA: 0.01 mg/m ³ OEL	N/A	TWA: 0.01 mg/m ³ Ag
7761-88-8			

Personal protective equipment

Respiratory protectionGas mask for acidic gas (JIS T 8152)
chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available no data available **Decomposition temperature:** no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** No data available no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available Specific Gravity / Relative density no data available no data available Vapour density no data available Particle characteristics

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Alkali, Metals

Hazardous decomposition products

Nitrogen oxides (NOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Since data of the mixture is not available, data as each components are described.

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	N/A	N/A	334 ppm (Rat) 0.5 h
Silver nitrate	1170 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 750 µg/m³ (Rat)4 h

Chemical Name Acute toxicity -oral- source Acute toxicity -dermal- source Acute toxicity -inhalation gas	Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
--	---------------	------------------------------	--------------------------------	---------------------------------

	information	information	source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Silver nitrate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
11111071010			Based on the NITE GHS Classification results.
•			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Nitric Acid	Based on the NITE GHS classification results.
Silver nitrate	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Nitric Acid	Based on the NITE GHS classification results.
Silver nitrate	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Nitric Acid	Based on the NITE GHS classification results.
Silver nitrate	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Nitric Acid	Based on the NITE GHS classification results.
Silver nitrate	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Nitric Acid	Based on the NITE GHS classification results.
Silver nitrate	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Silver nitrate	-	Group 2A		-
7761-88-8				

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Nitric Acid	Based on the NITE GHS classification results.	
Silver nitrate	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Nitric Acid	Based on the NITE GHS classification results.	
Silver nitrate	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Nitric Acid	Based on the NITE GHS classification results.	
Silver nitrate	Based on the NITE GHS classification results.	
A colored to the control of the cont	•	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Nitric Acid	Based on the NITE GHS classification results.	
Silver nitrate	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Since data of the mixture is not available, data as each components are described.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric Acid	N/A	LC50 : Gambusia affinis 72 mg/L 96 h	N/A
Silver nitrate	N/A	LC50: 0.00512 - 0.00787mg/L (96h, Poecilia reticulata) LC50: 0.009 - 0.02mg/L (96h, Lepomis macrochirus) LC50: 0.0242 - 0.0484mg/L (96h, Lepomis macrochirus) LC50: 0.05 - 0.07mg/L (96h, Lepomis macrochirus) LC50: 0.001339 - 0.001637mg/L (96h, Oncorhynchus mykiss) LC50: =0.0075mg/L (96h, Oncorhynchus mykiss) LC50: 0.00839 - 0.1802mg/L (96h, Oncorhynchus mykiss) LC50: 0.00452 - 0.00638mg/L (96h, Pimephales promelas) LC50: 0.00181 - 0.00214mg/L (96h, Pimephales promelas) LC50: 0.0064 - 0.0106mg/L (96h, Pimephales promelas) LC50: =0.009mg/L (96h, Pimephales promelas) LC50: =0.0027mg/L (96h, Cyprinus carpio)	EC50 : Daphnia magna 0.0014 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Nitric Acid		Based on the NITE GHS classification
	results.	results.
Silver nitrate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2031 Proper shipping name: Nitric acid

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN2031 **UN** number Proper shipping name: Nitric acid

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2031 Proper shipping name: Nitric acid

UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable **Poisonous and Deleterious** Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Specified Chemical Substances Art.2 Para.1. Item 6)

Industrial Safety and Health Act (

2024~) Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Nitric Acid 7697-37-2 (5)	-	Applicable	-
Silver nitrate 7761-88-8 (0.10)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN) sources for data etc. http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet