



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 17-Feb-2023 Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Tantalum, Powder
Product Code	209-00032,201-00031

Manufacturer FUJIFILM Wako Pure Chemical Corporation

> 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964 **Supplier FUJIFILM Wako Pure Chemical Corporation**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

For research use only

Emergency telephone number Recommended uses and

+81-6-6203-3741 / +81-3-3270-8571

restrictions on use

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture Specific target organ toxicity (single exposure) Category 3 Respiratory irritation

Category 3

Pictograms



Signal word

Warning

Hazard statements

H335 - May cause respiratory irritation

Precautionary statements-(Prevention)

- · Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Ta

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Tantalum	99.9	180.948	-	N/A	7440-25-7
	(subtracting				
	method)				

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Extinguishing powder, Sand

Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Flammable. Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass Incompatible substances Acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Tantalum	N/A	N/A	TWA: 2.5 mg/m ³ F
7440-25-7			_

Personal protective equipment

Respiratory protection Dust mask Protection gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color grayish brown Appearance powder

Odor no data available Melting point/freezing point 2996 °C

Boiling point, initial boiling point and boiling range

Flammability

Evaporation rate:

Flammability (solid, gas):

5,534 °C

no data available

no data available

no data available

Upper/lower flammability or

explosive limits

Upper:

Lower:

Plash point

Auto-ignition temperature:

no data available
no data available
no data available
no data available

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities hydrofluoric acid: soluble. water: practically insoluble, or

insoluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density16.65 g/cm3Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Acids

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tantalum	595 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
rantalani			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Tantalum	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Tantalum Based on the NITE GHS classification results.		
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	

Chemical Name	Respiratory or Skin sensitization source information
Respiratory or skin sensitization	
Tantalum Based on the NITE GHS classification results.	

Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Tantalum

Roproductive con matagementy		
Chemical Name	germ cell mutagencity source information	
Tantalum	Based on the NITE GHS classification results.	

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Tantalum	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Tantalum	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Tantalum	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Tantalum	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Tantalum	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Tantalum		Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Dooking group

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name:

UN classfication Subsidiary hazard class Packing group

Environmentally Hazardous

Substance

Not applicable

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category II, ron powder, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.338

Not applicable

Dangerous Substances - Ignitable Substance (Enforcement Order Attached Table 1 Item

2) Not applicable

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

Register Law

(2023/4/1~)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Tantalum 7440-25-7 (99.9 (subtracting method))	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet