



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 5.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Thallium(I) Acetate	
Product Code	204-00761,202-00762,200-00763	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741	
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Reproductive Toxicity Specific target organ toxicity (single exposure) Category 1 nervous system Category 2 hair [alopecia] Specific target organ toxicity (repeated exposure) Category 1 nervous system Category 2 hair [alopecia] Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 2 Category 1, Category 2

Category 1, Category 2

Category 1 Category 1

Pictograms



Hazard statements

- H300 Fatal if swallowed
- H361 Suspected of damaging fertility or the unborn child
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life
- H370 Causes damage to the following organs: nervous system
- H371 May cause damage to the following organs: hair [alopecia]
- H372 Causes damage to the following organs through prolonged or repeated exposure: nervous system
- H373 May cause damage to the following organs through prolonged or repeated exposure: hair [alopecia]

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

CH3COOTI

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Thallium(I) acetate	95.0	263.43	(2)-2125	*	563-68-8
Note on ISHL No.: * in the table means announced chemical substances.					

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Avoids contact with acids. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

<u>Storage</u>

Safe storage conditions

Storage conditions

Incompatible substances

Safe packaging material

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up. Glass

Strong oxidizing agents, Strong acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

[Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
	Thallium(I) acetate	N/A	N/A	TWA: 0.02 mg/m ³ TI inhalable
	563-68-8			particulate matter
				Skin

Personal protective equipment Respiratory protection

Hand protection

Eye protection

Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Form	
Color	White - nearly white
Appearance	crystals - crystalline p
Odor	no data available
Melting point/freezing point	130 °C
Boiling point, initial boiling point and boiling range	no data available
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water, Ethanol, acet
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	3.77
Vapour density	no data available
Particle characteristics	no data available

crystals - crystalline powder no data available 30 °C no data available water, Ethanol, acetone : soluble. no data available no data available 3.77 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Stable under recommended storage conditions. This material is deliquescent. **Chemical stability Hazardous reactions** None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Moisture Incompatible materials Strong oxidizing agents, Strong acids Hazardous decomposition products Carbon monooxide (CO), Carbon dioxide (CO2), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Thallium(I) acetate	41.3 mg/kg (Rat)	N/A	N/A
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Thallium(I) acetate	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist source information
Thallium(I) acetate	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Skin corrosion/irritation source information	
Depend on the NITE CLIP elegation regults	
Based on the NITE GHS classification results.	
Serious eye damage/irritation source information	
Based on the NITE GHS classification results.	
Respiratory or Skin sensitization source information	
Based on the NITE GHS classification results.	
germ cell mutagencity source information	
Based on the NITE GHS classification results.	
•	
Carcinogenicity source information	
Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Thallium(I) acetate	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Thallium(I) acetate Based on the NITE GHS classification results		
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Thallium(I) acetate	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Thallium(I) acetate	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Thallium(I) acetate	EC50 : Lemna minor	N/A	N/A
	0.0425 mg/L 10 d		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Thallium(I) acetate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

UN number	UN1707
Proper shipping name:	Thallium compound, n.o.s. (Thallium(I) acetate)
UN classfication	6.1
Subsidiary hazard class	
Packing group	11
Marine pollutant	Yes
IMDG	
UN number	UN1707
Proper shipping name:	Thallium compound, n.o.s. (Thallium(I) acetate)
UN classfication	6.1
Subsidiary hazard class	Р
Packing group	11
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN1707
Proper shipping name:	Thallium compound, n.o.s. (Thallium(I) acetate)
UN classfication	6.1
Subsidiary hazard class	
Packing group	II
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act	Natappliachte	
	Not applicable	
Poisonous and Deleterious	Deleterious Substances 2nd. Grade	
Substances Control Law		
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)		
	Notifiable Substances (Law Art.57-2)	
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
<u>2024~)</u>		
Regulations for the carriage	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance	
and storage of dangerous	Regarding Transport by Ship and Storage, Attached Table 1)	
goods in ship		
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air	
	Transportation of Explosives etc., Attached Table 1)	
Marine Pollution Prevention	Marine pollutants (P and PP substances)	
Law		
Pollutant Release and Transfer	Class 1	
Register Law		
(2023.4.1-)		
Class 1 - No.	666	
Export Trade Control Order	Not applicable	
Air Pollution Control Law	Hazardous Air Pollutants	

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Thallium(I) acetate 563-68-8 (95.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet