



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Thallium(I) Sulfate
Product Code 202-04802,208-04809	
Supplier	FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 2 **Acute toxicity - Oral Acute toxicity - Dermal** Category 3 Category 2 **Reproductive Toxicity** Specific target organ toxicity (single exposure) Category 1 Category 1 nervous system, respiratory system, cardiovascular system, liver, kidneys, skin Specific target organ toxicity (repeated exposure) Category 1 Category 1 nervous system, skin

Acute aquatic toxicity Category 1 Chronic aquatic toxicity Category 1

Pictograms



Hazard statements

H300 - Fatal if swallowed

H311 - Toxic in contact with skin

H361 - Suspected of damaging fertility or the unborn child

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H370 - Causes damage to the following organs: nervous system, respiratory system, cardiovascular system, liver, kidneys, skin

H372 - Causes damage to the following organs through prolonged or repeated exposure: nervous system, skin

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

Danger

- · Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Remove/Take off immediately all contaminated clothing
- Wash contaminated clothing before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula TI2SO4

	Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
ſ	Thallium(I) sulfate	95.0	504.83	(1)-1171	*	7446-18-6

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

^{*} in the table means announced chemical substances.

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Store locked up.

Safe packaging material

Glass

Incompatible substances

No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Thallium(I) sulfate	N/A	N/A	TWA: 0.02 mg/m ³ TI inhalable
7446-18-6			particulate matter
			Skin

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

Appearance crystalline powder
Odor no data available

Melting point/freezing point 632 °C

Boiling point, initial boiling point and boiling range no data available Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: no data available Flash point **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available water: soluble. **Solubilities** n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 6.77

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

No information available

Hazardous decomposition products

Sulfur oxides (SOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Thallium(I) sulfate	15 mg/kg (rat)	500 mg/kg (rat)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Thallium(I) sulfate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
.,	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information			
Thallium(I) sulfate	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.			
Skin irritation/corrosion	Skin irritation/corrosion					
Chemica	I Name	Skin corrosion/irritation source information				
Thallium(I) sulfate		Based on the NITE GHS classification results.				
Serious eye damage/ irritation		•				
Chemica	l Name	Serious eye damage/irritation source information				
Thallium(I) sulfate E		Based on the NITE GHS classification results.				
Respiratory or skin sensitization						
Chemical Name		Respiratory or Skin sens	tization source information			
Thallium(I) sulfate Based on the NITE GHS classification results.		ication results.				

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Thallium(I) sulfate Based on the NITE GHS classification results	
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Thallium(I) sulfate	Based on the NITE GHS classification results.

Reproductive toxicity

Reproductive toxicity source information
Based on the NITE GHS classification results.
STOT -single exposure- source information
Based on the NITE GHS classification results.
STOT -repeated exposure- source information
Based on the NITE GHS classification results.

Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Thallium(I) sulfate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Thallium(I) sulfate	N/A	LC50 : Pimephales promelas	N/A
		0.86 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Thallium(I) sulfate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1707

Proper shipping name: Thallium compound, n.o.s. (Thallium(I) sulfate)

6.1

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN number UN1707

Proper shipping name: Thallium compound, n.o.s. (Thallium(I) sulfate)

UN classfication 6.1 Subsidiary hazard class Ρ **Packing group** Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1707 **UN** number

Thallium compound, n.o.s. (Thallium(I) sulfate) Proper shipping name:

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Deleterious Substances 2nd, Grade Poisonous and Deleterious

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Industrial Safety and Health Act (

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~) Regulations for the carriage

and storage of dangerous

goods in ship

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

Regarding Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention

Law

Marine pollutants (P and PP substances)

Pollutant Release and Transfer Class 1 **Register Law**

(2023.4.1-)

Class 1 - No. 666

Export Trade Control Order Not applicable

Hazardous Air Pollutants **Air Pollution Control Law**

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Thallium(I) sulfate 7446-18-6 (95.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet