



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-May-2023

Revision Number 2.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Trifluoromethanesulfonic Acid |
|--------------|-------------------------------|
| Product Code | 200-06662,202-06661,208-06663 |

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Serious eye damage/eye irritation

Category 2A

Pictograms



Signal word

Warning

Hazard statements

H319 - Causes serious eye irritation

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

Not applicable

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CF3SO3H

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|--------------------------|----------|------------------|----------|----------|-----------|
| Trifluoromethanesulfonic | 98.0 | 150.08 | (2)-2809 | * | 1493-13-6 |
| acid | | | | | |

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with strong oxidizing agents. Avoid contact with metal. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material

Ampoule

Incompatible substances Strong oxidizing agents, Bases, Water, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

This product, as supplied, does not contain any hazardous materials with occupational **Exposure limits**

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Gas mask for acidic gas (JIS T 8152) chemical protective gloves (JIS T 8116) Hand protection protective evedlasses or chemical safety goggles Eye protection Long-sleeved work clothes

Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - pale yellow

Turbidity clear **Appearance** liquid Pungent odor -40 °C Melting point/freezing point 162 °C Boiling point, initial boiling point and boiling range

Flammability no data available **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

no data available Upper: no data available Lower: Flash point no data available Auto-ignition temperature: no data available **Decomposition temperature:** no data available

-0.49 11 hPa

рΗ Strongly acidic Viscosity (coefficient of viscosity) no data available no data available

Dynamic viscosity Solubilities water, Ethanol, acetone: Very soluble.

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure Specific Gravity / Relative density

1.7 g/m L (20℃) Vapour density 5.18 (air = 1)**Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

Strong oxidizing agents, Bases, Water, Metals

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|-------------------------------|------------------------------|--------------------------------|---------------------------------|
| | information | information | source information |
| Trifluoromethanesulfonic acid | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|-------------------------------|----------------------------|----------------------------------|----------------------------------|
| | vapor- source information | source information | source information |
| Trifluoromethanesulfonic acid | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information | |
|--------------------------------|---|--|
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. | |
| Serious eve damage/ irritation | | |

| Chemical Name | Serious eye damage/irritation source information | |
|-----------------------------------|--|--|
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. | |
| Respiratory or skin sensitization | | |

Chemical Name

| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. | |
|--------------------------------|---|--|
| Reproductive cell mutagenicity | | |
| Chemical Name | germ cell mutagencity source information | |

Trifluoromethanesulfonic acid

| Carcinogenicity | |
|-------------------------------|---|
| Chemical Name | Carcinogenicity source information |
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information | |
|-------------------------------|---|--|
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. | |
| STOT-single exposure | | |
| Chamical Nama | STOT -single exposure- source information | |

Respiratory or Skin sensitization source information

Based on the NITE GHS classification results.

| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. |
|-------------------------------|---|
| STOT-repeated exposure | |
| Chemical Name | STOT -repeated exposure- source information |
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Trifluoromethanesulfonic acid | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the | |
|-------------------------------|--|---|--|
| | aquatic environment source information | aquatic environment source information | |
| Trifluoromethanesulfonic acid | | Based on the NITE GHS classification results. | |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous

Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed **TSCA** Listed

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious **Substances Control Law**

Deleterious Substances 1st. Grade

Industrial Safety and Health Act Not applicable Regulations for the carriage Not applicable

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order

Not applicable

Soil Contamination Control

Designated Hazardous Substances

Law

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|--|---|--|---|
| Trifluoromethanesulfonic acid 1493-13-6 (98.0) | Applicable | - | - |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Physical and chemical properties. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet