



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 18-Sep-2024

Revision Number 2.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chlorotrimethylsilane			
Product Code	200-08002,202-08001			
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan			

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

# **Section 2: HAZARDS IDENTIFICATION**

#### **GHS** classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Acute toxicity - Dermal

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 2

Category 4

Category 3

Category 1

Category 1

Category 2

Category 2 systemic toxicity, respiratory system





### Hazard statements

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H331 - Toxic if inhaled

H371 - May cause damage to the following organs: systemic toxicity, respiratory system

#### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- · Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

### **Precautionary statements-(Storage)**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula (CH3)3SiCI

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chlorotrimethylsilane	98.0	108.64	(2)-2041	*	75-77-4

Note on ISHL No.: \* in the table means announced chemical substances.

# **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

# Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

Do not use straight streams

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

### **Handling**

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

### Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents, Water

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

**Respiratory protection** gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

**General hygiene considerations** 

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color Colorless - nearly colorless

Turbidity clear
Appearance liquid
Odor Pungent odor
Melting point/freezing point -40 °C
Boiling point, initial boiling point and boiling range 58 °C

Flammability Highly flammable liquid and vapor

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: 6.4 %
Lower: 2.0 %
Flash point -18 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water , Ethanol : reacts. Diethyl ether : Very soluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density0.856 - 0.860 g/mLVapour density3.77 ( air = 1 )Particle characteristicsno data available

# Section 10: STABILITY AND REACTIVITY

#### Stability

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

Possibility of hydrogen chloride generated by hydrolysis occurs.

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents, Water

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

# **Section 11: TOXICOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Chlorotrimethylsilane	100-300 mg/kg (Rat)	= 1500 mg/kg (Rabbit)	1498 ppm/4hr ( Rat )		
		1			
Chemical Name	Acute toxicity -oral- source				
Chlorotrimethylsilane	information Based on the NITE GHS	information Based on the NITE GHS	source information Based on the NITE GHS		
Chlorothmethylshane	classification results.	classification results.	classification results.		
	olacomeanori rocalic.	olacomoditori rocalic.	piacemeation recatio.		
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-		
	vapor- source information		source information		
Chlorotrimethylsilane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS		
	classification results.	classification results.	classification results.		
Skin irritation/corrosion		China annual an finnitat	ion corrections		
	cal Name		Skin corrosion/irritation source information  Based on the NITE GHS classification results.		
	nethylsilane	Based on the NITE GHS classif	ication results.		
Serious eye damage/ irritation		0	4-41		
	cal Name		Serious eye damage/irritation source information		
	nethylsilane	Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Respiratory or skin sensitization		1 5			
	cal Name	Respiratory or Skin sensitization source information			
	nethylsilane	Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Reproductive cell mutagenicity					
Chemical Name		germ cell mutagencity source information			
	nethylsilane	Based on the NITE GHS classif	Based on the NITE GHS classification results.		
Carcinogenicity					
Chemical Name		Carcinogenicity source information			
Chlorotrir	Chlorotrimethylsilane		Based on the NITE GHS classification results.		
Reproductive toxicity					
Chemi	Chemical Name		Reproductive toxicity source information		
Chlorotrimethylsilane		Based on the NITE GHS classification results.			
STOT-single exposure					
Chemi	cal Name		STOT -single exposure- source information		
Chlorotrimethylsilane		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemi	cal Name	STOT -repeated exposure- source information			
Chlorotrir	nethylsilane	Based on the NITE GHS classification results.			
Aspiration hazard					
	cal Name	Aspiration Hazard source information			
Chlorotrir	nethylsilane	Based on the NITE GHS classification results.			
	•	•			

# **Section 12: ECOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

**Ecotoxicity** no data available

### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Chlorotrimethylsilane	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID

UN1298 **UN** number

Proper shipping name: Trimethyl-Ichlorosilane

**UN classfication** Subsidiary hazard class 8 Packing group Ш

Marine pollutant Not applicable

**IMDG** 

**UN** number UN1298

Proper shipping name: Trimethylchlorosilane

**UN classfication** Subsidiary hazard class **Packing group** Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** Cargo Aircraft only

**UN** number UN1298

Proper shipping name: Trimethylchlorosilane

**UN classfication** 3 Subsidiary hazard class 8 Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

### Section 15: REGULATORY INFORMATION

Japanese regulations

**Fire Service Act** Category IV, Class I petroleums, dangerous grade 2

Not applicable Poisonous and Deleterious

**Substances Control Law** 

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4) [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

2024~)

Industrial Safety and Health Act ( 2025~)

Regulations for the carriage and storage of dangerous

goods in ship

[2025.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) 【2025.4.1~】Notifiable Substances (Law Art.57-2)

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of **Civil Aeronautics Law** 

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

**Register Law** 

(2023.4.1-)

**Export Trade Control Order** Not applicable

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Japan Industrial Safety and Health Association GHS Model SDS
Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**