



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Mar-2024 Revision Number 5.04

Category 1

Category 3

Category 3

Category 1

Category 1

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2,2,2-Trichloroethyl Chloroformate
Product Code	206-12992
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification Classification of the substance or mixture Corrosive to metals Acute toxicity - Oral Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation

**Pictograms** 



Danger

#### Hazard statements

- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H301 Toxic if swallowed
- H331 Toxic if inhaled

### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection

#### · Keep only in original container **Precautionary statements-(Response)**

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Do NOT induce vomiting

Absorb spillage to prevent material damage

- Precautionary statements-(Storage)
  - Store locked up
  - Store in a well-ventilated place. Keep container tightly closed
  - Store in corrosive resistant/ container with a resistant inner liner
- Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

### CICOOCH2CCI3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2,2,2-Trichloroethyl	95.0	211.86	(2)-3319	2-(6)-1503	17341-93-4
Chloroformate					
Note on ISHL No.:	* in the	table means announ	ced chemical substa	ances.	

### Section 4: FIRST AID MEASURES

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

Do not use straight streams

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

### No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

### Handling

#### **Technical measures**

Avoid contact with alkaline substances. Possibility of hydrogen chloride generated by hydrolysis occurs. May be internal pressure of the container is increased. Wear safety glasses, protective gloves, etc. when you opening Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

### Storage

Safe storage conditions	
Storage conditions	Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed with an inert gas.
Safe packaging material Incompatible substances	Glass Alkali, Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Personal protective equipment Respiratory protection Hand protection Eye protection	Gas mask for acidic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes
General hygiene considerations	lindustrial hygiana and asfaty practice

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics** 

Colorless - yellow clear liquid Pungent odor no data available 172 °C no data available water : decomposes. no data available no data available 1.535-1.585g/ml (20 °C no data available no data available

### Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light. Decomposes in contact with water

 Hazardous reactions
 None under normal processing

 None under normal processing
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

 Incompatible materials
 Alkali, Strong oxidizing agents

 Hazardous decomposition products
 Heat, flames and sparks, static electricity, spark, Moisture

Carbon monooxide (CO), Carbon dioxide (CO2), Halides, Hydrogen chloride (HCI) gas

### Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Skin irritation/corrosion Serious eye damage/ irritation Respiratory or skin sensitization Reproductive cell mutagenicity Carcinogenicity

Reproductive toxicity STOT-single exposure STOT-repeated exposure no data available

no data available no data available no data available no data available no data available

no data available no data available no data available

### Aspiration hazard

no data available

	Section 12: ECOLOGICAL INFORMATION
Ecotoxicity	no data available
Other data	no data available
Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer	No information available No information available No information available No information available

### Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN3277
Proper shipping name:	Chloroformates, toxic, corrosive, n.o.s. (2,2,2-Trichloroethyl Chloroformate)
UN classfication	6.1
Subsidiary hazard class	8
Packing group	Ш
Marine pollutant	Not applicable
IMDG	
UN number	UN3277
Proper shipping name:	Chloroformates, toxic, corrosive, n.o.s. (2,2,2-Trichloroethyl Chloroformate)
UN classfication	6.1
Subsidiary hazard class	8
Packing group	Ш
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN3277
Proper shipping name:	Chloroformates, toxic, corrosive, n.o.s. (2,2,2-Trichloroethyl Chloroformate)
UN classfication	6.1
Subsidiary hazard class	8
Packing group	
Environmentally Hazardous Substance	Not applicable

### Section 15: REGULATORY INFORMATION

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law

Not applicable Not applicable

Industrial Safety and Health Act Not applicable		
	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
2024~) Regulations for the carriage	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance	
and storage of dangerous goods in ship	Regarding Transport by Ship and Storage, Attached Table 1)	
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)	
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable	
Export Trade Control Order	Not applicable	

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Descender (ODO acceletance	The following contents were noticed. Deputations information

## **Record of SDS revisions** The following contents were revised. Regulatory information. **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet