

SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 13-May-2025
 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Titration Solvent B
Product Code	208-13231

Supplier FUJIFILM Wako Pure Chemical Corporation
 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
 Phone: +81-6-6203-3741
 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Category 2

Skin corrosion/irritation

Category 1

Serious eye damage/eye irritation

Category 1

Germ cell mutagenicity

Category 2

Carcinogenicity

Category 2

Specific target organ toxicity (single exposure)

Category 1, Category 3

Category 1 systemic toxicity, blood, respiratory system

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1, Category 2

Category 1 central nervous system, Peripheral Nervous System, blood system

Category 2 liver, kidneys, adrenal gland

Acute aquatic toxicity

Category 1

Chronic aquatic toxicity

Category 1

Pictograms



Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H370 - Causes damage to the following organs: systemic toxicity, blood, respiratory system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system,

Peripheral Nervous System, blood system

H373 - May cause damage to the following organs through prolonged or repeated exposure: liver, kidneys, adrenal gland

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction
- Collect spillage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chlorobenzene	66.5 - 69.5	112.56	(3)-31	*	108-90-7
Acetic Acid	30.5 - 33.5	60.05	(2)-688	*	64-19-7

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling**Technical measures**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage**Safe storage conditions****Storage conditions**

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Chlorobenzene 108-90-7	TWA: 10 ppm OEL TWA: 46 mg/m ³ OEL ISHL/ACL: 10 ppm	ISHL/ACL: 10 ppm	TWA: 10 ppm
Acetic Acid 64-19-7	TWA: 10 ppm OEL TWA: 25 mg/m ³ OEL	N/A	STEL: 15 ppm TWA: 10 ppm

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Acetic Acid 64-19-7	N/A	15 ppm

Personal protective equipment

Respiratory protection

gas mask for organic gas (JIS T 8152)

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color

colorless

Turbidity

clear

Appearance

liquid

Odor

Pungent odor

Melting point/freezing point

no data available

Boiling point, initial boiling point and boiling range

no data available

Flammability

Highly flammable liquid and vapor

Evaporation rate:

no data available

Flammability (solid, gas):

no data available

Upper/lower flammability or explosive limits

Upper:

no data available

Lower:

no data available

Flash point

no data available

Auto-ignition temperature:

no data available

Decomposition temperature:

no data available

pH

no data available

Viscosity (coefficient of viscosity)

no data available

Dynamic viscosity

no data available

Solubilities

no data available

n-Octanol/water partition coefficient:(log Pow)

no data available

Vapour pressure

no data available

Specific Gravity / Relative density
Vapour density
Particle characteristics

1.078 - 1.086 g/mL
no data available
no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.
Hazardous reactions
None under normal processing
Conditions to avoid
Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark
Incompatible materials
Strong oxidizing agents
Hazardous decomposition products
Carbon monoxide (CO), Carbon dioxide (CO₂), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chlorobenzene	2,914 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	13.5 mg/L (Rat) 7 h
Acetic Acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chlorobenzene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chlorobenzene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Chlorobenzene	Based on the NITE GHS classification results.

Acetic Acid	Based on the NITE GHS classification results.
-------------	---

Chemical Name	NTP	IARC	ACGIH	JSOH
Chlorobenzene 108-90-7	N/A	N/A	A3	N/A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Chlorobenzene	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Chlorobenzene	EC50 : <i>Pseudokirchneriella subcapitata</i> 2.55 - 420 mg/L 96 h EC50 : <i>Pseudokirchneriella subcapitata</i> 12.5 mg/L 96 h static	LC50 : <i>Lepomis macrochirus</i> 4.1 - 4.9 mg/L 96 h LC50 : <i>Oncorhynchus mykiss</i> 4.1 - 5.3 mg/L 96 h LC50 : <i>Pimephales promelas</i> 4.5 mg/L 96 h	EC50 : <i>Daphnia magna</i> 0.59 mg/L 48 h
Acetic Acid	N/A	LC50 : <i>Pimephales promelas</i> 79 mg/L 96 h	EC50 : <i>Daphnia magna</i> 65000 ug/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Chlorobenzene	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Acetic Acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number	UN2920
Proper shipping name:	Corrosive liquid, flammable, n.o.s. (Mixture of Acetic acid and Chlorobenzene)
UN classification	8
Subsidiary hazard class	3
Packing group	II
Marine pollutant	Yes

IMDG

UN number	UN2920
Proper shipping name:	Corrosive liquid, flammable, n.o.s. (Mixture of Acetic acid and Chlorobenzene)
UN classification	8
Subsidiary hazard class	3
Packing group	II
Marine pollutant (Sea)	Yes
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

IATA

UN number	UN2920
Proper shipping name:	Corrosive liquid, flammable, n.o.s. (Mixture of Acetic acid and Chlorobenzene)
UN classification	8
Subsidiary hazard class	3
Packing group	II
Environmentally Hazardous Substance	Yes

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Category IV, Class II petroleum, dangerous grade 3
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer Register Law (2023.4.1-)	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Class 1 - No.	Class 1
Air Pollution Control Law	125 Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chlorobenzene 108-90-7 (66.5 - 69.5)	-	Applicable	Applicable
Acetic Acid 64-19-7 (30.5 - 33.5)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
 etc

Record of SDS revisions

The following contents were revised. Hazards identification. Composition/information on ingredients. Fire fighting measures. Exposure controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet