



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 5.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	30% Titanium(IV) Sulfate Solution
Product Code	206-13835,204-13831
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
En en en en de la cher en	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture Acute toxicity - Inhalation (Dusts/Mists) Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 1 respiratory system Specific target organ toxicity (repeated exposure) Category 1 respiratory system

Category 4 Category 1 Category 1 Category 1

Category 1





Hazard statements

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H370 Causes damage to the following organs: respiratory system
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Use only outdoors or in a well-ventilated area
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

• Immediately call a POISON CENTER or doctor/physician

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	54 - 60	18.02	-	N/A	7732-18-5
Titanium(IV) sulfate	27 - 33	239.99	N/A	N/A	27960-69-6
Sulfuric Acid	13	98.08	(1)-430	*	7664-93-9

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with organic substance Avoid contact with reducing agents and combustible materials. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions	
Storage conditions	Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up.
Safe packaging material	Glass
Incompatible substances	Organic substance, Combustible materials, Bases, Reducing agent, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Sulfuric Acid	Ceiling: 1 mg/m ³	N/A	TWA 0.2mg/m ³
7664-93-9			

Personal protective equipment

Respiratory protection Hand protection Eye protection Gas mask for acidic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

Colorless - slightly yellow clear liauid no data available Strongly acidic no data available no data available water Miscible at any arbitrary ratio . no data available no data available 1.4 g/mL no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 Corrodes metals to generate hydrogen gas.
 Conditions to avoid

 Extremes of temperature and direct sunlight
 Incompatible materials

 Organic substance, Combustible materials, Bases, Reducing agent, Metals

 Hazardous decomposition products
 Sulfur oxides (SOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric Acid	2140 mg/kg (Rat)	N/A	0.375 mg/L(Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sulfuric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Canano / Iola			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name		Skin corrosion/irritation source information		
Sulfuric Acid	Sulfuric Acid Based on the NITE GHS classification results.			ults.
Serious eye damage/ irritation				
Chemical Name		Serious eye da	mage/irritation sou	rce information
Sulfuric Acid	E	Based on the NITE GH	IS classification res	ults.
Respiratory or skin sensitization	·			
Chemical Name		Respiratory or Skin sensitization source information		
Sulfuric Acid	Sulfuric Acid Based on the NITE GHS classification results.		ults.	
Reproductive cell mutagenicity	· · · · ·			
Chemical Name		germ cell m	utagencity source	information
Sulfuric Acid		Based on the NITE GHS classification results.		
Carcinogenicity				
Chemical Name		Carcinogenicity source information		
Sulfuric Acid Ba		Based on the NITE G⊢	IS classification res	ults.
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Qualify units A stick			4.0	

	INTE	IARC	ACOIN	JSON (Japan)
Sulfuric Acid	-	Group 1	A2	-
7664-93-9				
Reproductive toxicity				
Chemical Name		Reproductive toxicity source information		
Sulfuric Acid	E	Based on the NITE GH	S classification resul	ts.
STOT-single exposure				
Chemical Name		STOT -single exposure- source information		
Sulfuric Acid		Based on the NITE GHS classification results.		
STOT-repeated exposure				
Chemical Name		STOT -repeate	ed exposure- source	e information
Sulfuric Acid		Based on the NITE GHS classification results.		ts.
Aspiration hazard				
Chemical Name		Aspiration	n Hazard source info	ormation
Sulfuric Acid		Based on the NITE GHS classification results.		ts.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sulfuric Acid	N/A	LC50:Lepomis macrochirus 16 - 28 mg/L 96 h	LC50:Daphnia magna 29 mg/L 24 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Sulfuric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results	results

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN3264
Proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (Titanium(IV) Sulfate Solution)
UN classfication	8
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
IMDG	
UN number	UN3264
Proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (Titanium(IV) Sulfate Solution)
UN classfication	8
Subsidiary hazard class	
Packing group	1
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN3264
Proper shipping name:	Corrosive liquid, acidic, inorganic, n.o.s. (Titanium(IV) Sulfate Solution)
UN classfication	8
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act	Not applicable	
Poisonous and Deleterious	Deleterious Substances 2nd. Grade	
	Deletenous Substances znd. Grade	
Substances Control Law		
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)		
	Notifiable Substances (Law Art.57-2)	
	Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to	
	Specified Chemical Substances Art.2 Para.1, Item 6)	
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
<u>2024~)</u>		
Regulations for the carriage	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding	
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)	
goods in ship		
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of	
	Explosives etc., Attached Table 1)	
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y	
Law		
Pollutant Release and Transfer	Netapplicable	
	Notappicable	
Register Law		
(2023.4.1-)		
Water Pollution Control Act	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)	
Export Trade Control Order	Appendix 2 Export Approval Item	
Narcotics and Psychotropics		
Control Law		

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Sulfuric Acid 7664-93-9(13)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions Disclaimer	The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet