



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 07-May-2024

Revision Number 1.1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Toluene-d8 Standard
Product Code	202-16291

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Category 4

Category 2

Serious eye damage/eye irritation

Category 2

Category 2

Category 2

Reproductive Toxicity

Category 1A (additional)

Specific target organ toxicity (single exposure)

Category 1, Category 3

Category 1 central nervous system

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 central nervous system, kidneys

Aspiration hazardCategory 1Acute aquatic toxicityCategory 2Chronic aquatic toxicityCategory 3

Pictograms







Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation H320 - Causes eye irritation

H332 - Harmful if inhaled

H360 - May damage fertility or the unborn child

H362 - May cause harm to breast-fed children

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H304 - May be fatal if swallowed and enters airways

H401 - Toxic to aquatic life

- H412 Harmful to aquatic life with long lasting effects
- H370 Causes damage to the following organs: central nervous system
- H372 Causes damage to the following organs through prolonged or repeated exposure: central nervous system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- · Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C6D5CD3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Toluene-d8	99.0	100.19	2-(8)-869	*	2037-26-5

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

<u>Storage</u>

Safe storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed Storage conditions

with an inert gas. Store locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Toluene-d8	50ppm, 188 mg/m³; 経皮吸収	20ppm	TWA: 20 ppm
2037-26-5			

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Except for shape, the data of non-labeled compound is described.

Form

colorless Color **Turbidity** clear liquid **Appearance**

Odor characteristic odor

-93 °C Melting point/freezing point 111 °C Boiling point, initial boiling point and boiling range

Flammability Highly flammable liquid and vapor

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

7.1 vol% Upper: 1.2 vol% Lower:

Flash point 5 °C / 41 °F (TCC) 480 °C / 896 °F **Auto-ignition temperature: Decomposition temperature:** no data available no data available Viscosity (coefficient of viscosity) no data available

Dvnamic viscosity no data available

Solubilities Ethanol, Diethyl ether: Very soluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 0.864 - 0.868 g/mL no data available

Vapour density Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available May be altered by light. Chemical stability

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Toluene-d8	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Toluene-d8	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Toluene-d8	Based on the NITE GHS classification results.	
Serious eve damage/irritation		

Chemical Name	Serious eye damage/irritation source information
Toluene-d8	Based on the NITE GHS classification results.

Respiratory or skin sensitization

	Chemical Name	Respiratory or Skin sensitization source information
	Toluene-d8	Based on the NITE GHS classification results.
- 1	D	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Toluene-d8	Based on the NITE GHS classification results.
Carcinogenicity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
Toluene-d8	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Toluene-d8	Based on the NITE GHS classification results.	
STOT-single exposure		

Chemical Name	5101 -single exposure- source information	
Toluene-d8	Based on the NITE GHS classification results.	
STOT-repeated exposure		

Chemical Name

Chemical Name	STOT -repeated exposure- source information			
Toluene-d8	Based on the NITE GHS classification results.			
Aspiration hazard				

	Chemical Name	Chemical Name Aspiration Hazard source information	
Toluene-d8		Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Ecotoxicity no data available

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Toluene-d8	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1294
Proper shipping name: Toluene
UN classfication 3

Subsidiary hazard class
Packing group

Marine pollutant Not applicable

IMDG

UN number UN1294
Proper shipping name: Toluene
UN classfication 3

Subsidiary hazard class
Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1294
Proper shipping name: Toluene
UN classification 3

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Dangerous Substances - Flammable Substance

Act on the Evaluation of **Chemical Substances and**

Regulation of Their Manufacture, etc

Regulations for the carriage and storage of dangerous

goods in ship

Civil Aeronautics Law

Marine Pollution Prevention

I aw

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)Class 1 - No.

Water Pollution Control Act Export Trade Control Order

Narcotics and Psychotropics

Control Law

Offensive Odor Control Law

Deleterious Substances 3rd. Grade

Notifiable Substances (Law Art.57-2)

Para.1)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Dangerous Substances

300 Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3) Appendix 1 Export licensed items. Appendix 2 Export Approval Item

Air Pollution Control Law Priority Chemical Substances Specified Offensive Odor Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Toluene-d8 2037-26-5 (99.0)	Applicable	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) ://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions

The following contents were revised. Fire fighting measures. Handling and storage. Physical and chemical properties. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet