



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 21-Feb-2024

Revision Number 4.03

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Tellurium Standard Solution(Te 1000)
Product Code	209-17921

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Corrosive to metalsCategory 1Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 1Respiratory sensitizationCategory 1

Reproductive Toxicity Category 1B (additional)

Specific target organ toxicity (single exposure) Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure)

Category 2 respiratory system, teeth

Acute aquatic toxicity Category 2

## **Pictograms**



Signal word

Danger

#### **Hazard statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H360 - May damage fertility or the unborn child

H362 - May cause harm to breast-fed children

H401 - Toxic to aquatic life

H371 - May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

Category 2

- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- In case of inadequate ventilation wear respiratory protection
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product
- Avoid release to the environment
- · Keep only in original container

#### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- · If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- · Absorb spillage to prevent material damage

## Precautionary statements-(Storage)

- Store locked up
- Store in corrosive resistant/ container with a resistant inner liner

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	96.3	18.02	N/A	N/A	7732-18-5
Hydrogen Chloride	3.60	36.46	(1)-215	*	7647-01-0
Tellurium	0.10	127.60	-	N/A	13494-80-9

Note on ISHL No.:

### **Section 4: FIRST AID MEASURES**

## Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

## Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

## Protection of first-aiders

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

<sup>\*</sup> in the table means announced chemical substances.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Avoid contact with alkaline substances. Avoid contact with metal. Open after shaking containers well. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Storage

## Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed.

Safe packaging material

Polyethylene

Incompatible substances

alkaline substances, Metals

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
ſ	Hydrogen Chloride	Ceiling: 2 ppm	N/A	Ceiling: 2 ppm

7647-01-0	Ceiling: 3.0 mg/m <sup>3</sup>		
Tellurium	N/A	N/A	TWA: 0.1 mg/m <sup>3</sup>
13494-80-9			-

Personal protective equipment

**Respiratory protection Gas mask for acidic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)** 

**Eye protection** protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

**General hygiene considerations** 

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

colorless

**Form** 

Color

**Turbidity** clear **Appearance** liquid Pungent odor Odor no data available Melting point/freezing point Boiling point, initial boiling point and boiling range no data available no data available **Flammability Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
acidic

Viscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water, Ethanol: miscible.

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available
Naticle characteristics
No data available
No data available
No data available

## Section 10: STABILITY AND REACTIVITY

#### **Stability**

**Reactivity** no data available

Chemical stability Stable under recommended storage conditions.

**Hazardous reactions** 

Corrodes metals to generate hydrogen gas.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

alkaline substances, Metals

**Hazardous decomposition products** 

Metal oxides, Halides

## Section 11: TOXICOLOGICAL INFORMATION

•					• •
Δ	$\sim$ 1	ıtΔ	tΛ	vic	ity
_	·	ate	w	AIV.	,ıty

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Chloride	238 - 277 mg/kg (Rat)	>5010 mg/kg(Rabbit)	1411 ppm ( Rat ) 4 h
Tellurium	>5,000 mg/kg ( Rat )	N/A	>2.42 mg/m³ ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
riyaregen emenae			Based on the NITE GHS classification results.
renariam			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1.7 4.0 90 0			Based on the NITE GHS Classification results.
			Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Tellurium	Based on the NITE GHS classification results.

## Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Tellurium	Based on the NITE GHS classification results.

## Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Tellurium	Based on the NITE GHS classification results.

## Reproductive cell mutagenicity

topi daddir d ddi indiagonidity		
Chemical Name	germ cell mutagencity source information	
Hydrogen Chloride	Based on the NITE GHS classification results.	
Tellurium	Based on the NITE GHS classification results.	

## Carcinogenicity

Chemical Name	Carcinogenicity source information	
Hydrogen Chloride	Based on the NITE GHS classification results.	
Tellurium	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Hydrogen Chloride	N/A	Group 3	N/A	N/A
7647-01-0		·		

## Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Hydrogen Chloride	Based on the NITE GHS classification results.	
Tellurium	Based on the NITE GHS classification results.	

## STOT-single exposure

Chemical Name	STOT -single exposure- source information
Hydrogen Chloride	Based on the NITE GHS classification results.
Tellurium	Based on the NITE GHS classification results.

## STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Hydrogen Chloride	Based on the NITE GHS classification results.	
Tellurium	Based on the NITE GHS classification results.	

## **Aspiration hazard**

Chemical Name	Aspiration Hazard source information	
Hydrogen Chloride	Based on the NITE GHS classification results.	

Tellurium	Based on the NITE GHS classification results.

## **Section 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen Chloride	N/A	N/A	EC50 : Daphinia magna
			0.492 mg/L 48 h

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
,		Based on the NITE GHS classification results.	
Tellurium		Based on the NITE GHS classification results.	

Persistence and degradability No information available No information available Bioaccumulative potential No information available Mobility in soil Hazard to the ozone layer No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

**UN** number UN1789

Proper shipping name: hydrochloric acid

**UN classfication** Subsidiary hazard class

Packing group

Not applicable Marine pollutant

**IMDG** 

**UN** number UN1789

Proper shipping name: hydrochloric acid

**UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

**UN** number UN1789

Proper shipping name: hydrochloric acid

**UN classfication** 8

Subsidiary hazard class

Packing group

Not applicable **Environmentally Hazardous** 

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

**Fire Service Act** Not applicable Not applicable **Poisonous and Deleterious** 

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Explosives etc., Attached Table 1)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Specified Chemical Substances Art.2 Para.1, Item 6)

Transport by Ship and Storage, Attached Table 1)

Industrial Safety and Health Act (

2024~)

Regulations for the carriage and storage of dangerous

goods in ship

**Civil Aeronautics Law** 

**Marine Pollution Prevention** 

I aw

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act

**Export Trade Control Order** 

**Air Pollution Control Law** 

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Not applicable

Specified Substances, Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Hydrogen Chloride	-	Applicable	-
7647-01-0 ( 3.60 )			
Tellurium	-	Applicable	-
13494-80-9 ( 0.10 )			

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

**Record of SDS revisions** The following contents were revised. Prodauct and company Identification.

Composition/information on ingredients. Exposure controls/personal protection. Stability and reactivity. Toxicological information. Ecological information. Regulatory information.

**Disclaimer** 

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**