



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 1.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Tantalum Standard Solution (Ta 1000)
Product Code	201-21151

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Inhalation (Vapors)Category 4Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASpecific target organ toxicity (single exposure)Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 respiratory system, teeth

Pictograms



Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H371 - May cause damage to the following organs: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, teeth

Precautionary statements-(Prevention)

- · Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	97.40	18.02	-	N/A	7732-18-5
Nitric Acid	2	63.01	(1)-394	*	7697-37-2
Hydrogen fluoride	0.50	20.01	(1)-306	*	7664-39-3
Tantalum	0.1	180.948	-	N/A	7440-25-7

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

^{*} in the table means announced chemical substances.

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Avoid contact with metal. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed. Store locked up.

Safe packaging material Polyethylene Incompatible substances Alkali, Metals

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Nitric Acid	TWA: 2 ppm OEL	N/A	STEL: 4 ppm
7697-37-2	TWA: 5.2 mg/m ³ OEL		TWA: 2 ppm
Hydrogen fluoride 7664-39-3	Ceiling: 3 ppm Ceiling: 2.5 mg/m³ Skin ISHL/ACL: 0.5 ppm	ISHL/ACL: 0.5 ppm	TWA: 0.5 ppm F Skin Ceiling: 2 ppm F
Tantalum 7440-25-7	N/A	N/A	TWA: 2.5 mg/m ³ F

Personal protective equipment

Respiratory protectionGas mask for acidic gas (JIS T 8152)
Hand protection
chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available no data available **Decomposition temperature:** no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** No data available no data available n-Octanol/water partition coefficient:(log Pow) Vapour pressure no data available Specific Gravity / Relative density no data available Vapour density no data available Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Alkali, Metals

Hazardous decomposition products

Nitrogen oxides (NOx), Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	N/A	N/A	334 ppm (Rat) 0.5 h
Hydrogen fluoride	N/A	N/A	0.0008 - 0.004 mg/L 4 h
Tantalum	595 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information

ſ	Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
		classification results.	classification results.	classification results.
	Hydrogen fluoride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	, 3	classification results.	classification results.	classification results.
ſ	Tantalum	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
L		classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	Classification results.	classification results.	Classification results.
Hydrogen fluoride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, ,	classification results.	classification results.	classification results.
Tantalum	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Nitric Acid	Based on the NITE GHS classification results.
Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

Serious eye damage/ irritation

contract by a damage, in tallet		
Chemical Name	Serious eye damage/irritation source information	
Nitric Acid	Based on the NITE GHS classification results.	
Hydrogen fluoride	Based on the NITE GHS classification results.	
Tantalum	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Nitric Acid	Based on the NITE GHS classification results.
Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Nitric Acid	Based on the NITE GHS classification results.
Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Nitric Acid	Based on the NITE GHS classification results.
Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name Reproductive toxicity source information	
Nitric Acid Based on the NITE GHS classification results.	
Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	emical Name STOT -single exposure- source information	
Nitric Acid Based on the NITE GHS classification results.		
Hydrogen fluoride Based on the NITE GHS classification results.		
Tantalum Based on the NITE GHS classification results.		

STOT-repeated exposure

Chemical Name STOT -repeated exposure- source informati	
Nitric Acid Based on the NITE GHS classification results.	
Hydrogen fluoride Based on the NITE GHS classification results.	
Tantalum Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information	
Nitric Acid	Based on the NITE GHS classification results.	

Hydrogen fluoride	Based on the NITE GHS classification results.
Tantalum	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric Acid	N/A	LC50 : Gambusia affinis	N/A
		72 mg/L 96 h	
Hydrogen fluoride	EC50 : Pseudokirchneriella	LC50 : Killifish	EC50 : Gammarus fasciatus
	subcapitata	>8.6 mg/L 28 d	73.3 mg/L 96 h
	> 402 mg/L 72 h		-

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Nitric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Hydrogen fluoride	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
Tantalum	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous

Substance

Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Poisonous Substances 2nd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

Specified Chemical Substances Art.2 Para.1, Item 6)

Notifiable Substances (Law Art.57-2)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

<u>2024~)</u>

Not applicable

Regulations for the carriage and storage of dangerous

goods in ship

...90.040

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Nitric Acid 7697-37-2 (2)	-	Applicable	-
Hydrogen fluoride 7664-39-3 (0.50)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet