



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 15-Feb-2024

Revision Number 2.08

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	4-Vinylpyridine
Product Code	221-00273,225-00276

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

### **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Category 3 Flammable liquids **Acute toxicity - Oral** Category 3 Acute toxicity - Inhalation (Vapors) Category 1 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Skin sensitization Category 1 Carcinogenicity Category 2 Specific target organ toxicity (single exposure) Category 3

Category 3 Respiratory irritation

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

# **Pictograms**







Signal word

Danger

#### **Hazard statements**

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H301 - Toxic if swallowed

H330 - Fatal if inhaled

H351 - Suspected of causing cancer

H335 - May cause respiratory irritation

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep cool

### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation or rash occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction
- · Collect spillage

#### Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C7H7N

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
4-Vinylpyridine	90.0	105.14	(5)-717	*	100-43-6
4-t-Butylnyrocatechol	0.30	166 22	3-5/18	*	08-20-3

\* in the table means announced chemical substances.

Impurities and/or Additives: 4-t-Butylpyrocatechol 0.30%

# **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Note on ISHL No.:

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# **Section 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

### Safe storage conditions

Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

**Respiratory protection** gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 81516)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - blackish brown

Appearance liquid
Odor unpleasant
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available

Flammability Flammable liquid and vapor

**Evaporation rate:**Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 51 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water, Ethanol, acetone: soluble.

n-Octanol/water partition coefficient:(log Pow) no data available

Vapour pressure 13.3hPa

Specific Gravity / Relative density0.983 - 0.993 g/mLVapour density3.65(Air=1)Particle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

# Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

#### **Conditions to avoid**

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

#### Incompatible materials

Strong oxidizing agents

### Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
4-Vinylpyridine	100 mg/kg (Rat)	N/A	N/A
4-t-Butylpyrocatechol	2820 mg/kg (Rat)	630 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
i viiiyipyiiaiiie			Based on the NITE GHS
	classification results.	classification results.	classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
i viiiyipyiiaiiie			Based on the NITE GHS classification results.
			Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
4-Vinylpyridine	Based on the NITE GHS classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.

Serious eve damage/ irritation

Chemical Name	Serious eye damage/irritation source information
4-Vinylpyridine	Based on the NITE GHS classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Respiratory or Skin sensitization source information	
Based on the NITE GHS classification results.	
Based on the NITE GHS classification results.	
4	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information	
4-Vinylpyridine	Based on the NITE GHS classification results.	
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.	

Carcinogenicity

Chemical Name	Carcinogenicity source information
4-Vinylpyridine	Based on the NITE GHS classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
4-Vinylpyridine	Based on the NITE GHS classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.

**STOT-single exposure** 

Chemical Name	STOT -single exposure- source information
4-Vinylpyridine	Based on the NITE GHS classification results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.

# STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
4-Vinylpyridine	Based on the NITE GHS classification results.	
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.	

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
4-Vinylpyridine	Based on the NITE GHS classification results.	
4-t-Butylpyrocatechol	Based on the NITE GHS classification results.	

### **Section 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
4-Vinylpyridine	N/A	LC50 : Oryzias latipes	N/A
		1.0mg/L 96 h	

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
4-Vinylpyridine	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
4-t-Butylpyrocatechol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN3073

Proper shipping name: Vinylpyridines, stabilized

UN classfication 6.1
Subsidiary hazard class 3, 8
Packing group II
Marine pollutant Yes

**IMDG** 

UN number UN3073

Proper shipping name: Vinylpyridines, stabilized

UN classfication 6.1
Subsidiary hazard class 3, 8
Packing group II
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3073

Proper shipping name: Vinylpyridines, stabilized

**UN classfication** 6.1 Subsidiary hazard class 3.8 Ш Packing group **Environmentally Hazardous** Yes

Substance

### **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3

Not applicable

Poisonous and Deleterious

**Substances Control Law** 

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act (

2024~)

[2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

【2024.4.1~】Notifiable Substances (Law Art.57-2)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage and storage of dangerous

goods in ship

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

**Civil Aeronautics Law** 

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

**Register Law** (2023.4.1-)

**Export Trade Control Order** 

Not applicable **Industrial Safety and Health Law** 

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	4-vinylpyridine	90.0	2024/4/1

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

**Record of SDS revisions** 

**Disclaimer** 

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**