SAFETY DATA SHEET

According to JIS Z 7253:2019
Revision date 29-Feb-2024
Revision Number 5.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Veterinary Drug Mixture Standard Solution (Sulfonamide+Antifolate) (each 20µg/mL)
Product Code	224-02083,228-02081

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids	Category 2
Acute toxicity - Dermal	Category 3
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Category 1 central nervous system, respiratory system, liver	
Specific target organ toxicity (repeated exposure)	Category 1
Category 1 blood system, central nervous system, respiratory system, liver, kidneys	

Pictograms

Signal word Danger

Hazard statements

H225 - Highly flammable liquid and vapor
H318 - Causes serious eye damage
H311 - Toxic in contact with skin
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H360 - May damage fertility or the unborn child
H370 - Causes damage to the following organs: central nervous system, respiratory system, liver
H372 - Causes damage to the following organs through prolonged or repeated exposure: blood system, central nervous system, respiratory system, liver, kidneys

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Acetonitrile	90	41.05	(2)-1508	*	75-05-8
N,N-Dimethylformamide	10	73.09	(2)-680	*	68-12-2
Sulfadiazine	20 ug/mL	250.28	-	N/A	68-35-9
Ormetoprim	20 ug/mL	274.32	N/A	8-(2)-997	6981-18-6
2-(Sulfanilamino)thiazole	20 ug/mL	255.32	N/A	N/A	72-14-0
Sulfamethoxazole	20 ug/mL	253.28	N/A	8-(7)-451,8-(7)-500	723-46-6
Sulfisozole Sodium	20 ug/mL	261.23	N/A	N/A	73247-57-1
Trimethoprim	20 ug/mL	290.32	N/A	N/A	738-70-5
Sulfamethoxypyridazine	20 ug/mL	280.30	-	N/A	80-35-3
N1-(6-Ethoxypyridazin-3-yl)sulfanilamide	20 ug/mL	294.33	N/A	N/A	963-14-4
5-Bromosulfamethazine	20 ug/mL	357.23	N/A	N/A	116-45-0
Sulfadimethoxine	20 ug/mL	310.33	(9)-766	*	122-11-2
Sulfanitran	20 ug/mL	335.34	N/A	N/A	122-16-7
Sulfamonomethoxine	20 ug/mL	298.32	-	N/A	1220-83-3
Sulfisoxazole	20 ug/mL	267.30	-	N/A	127-69-5
Sulfabenzamide	20 ug/mL	276.31	N/A	N/A	127-71-9
Sulfamerazine	20 ug/mL	264.30	(9)-772 , (9)-2252	*	127-79-7
Sulfacetamide	20 ug/mL	214.24	N/A	N/A	144-80-9
Sulfapyridine	20 ug/mL	249.29	N/A	N/A	144-83-2
sulfatroxazole	20 ug/mL	267.30	N/A	N/A	23256-23-7
Sulfachlorpyridazine Sodium Salt	20 ug/mL	306.70	N/A	N/A	23282-55-5

Sulfadoxine	20 ug/mL	310.33	N/A	N/A	2447-57-6
Sulfisomidine	20 ug/mL	278.33	-	N/A	515-64-0
Diaverdine	20 ug/mL	260.29	(9)-655	*	5355-16-8
Sulfadimidine	20 ug/mL	278.33	(9)-772	*	57-68-1
Pyrimethamine	20 ug/mL	248.71	(9)-539,(9)-696,(9)-1124	*	58-14-0
Sulfaquinoxaline	20 ug/mL	322.32	(9)-2260	*	59-40-5
Sulfanilamide	20 ug/mL	172.20	(3)-1973,(3)-2179	*	63-74-1
Sulfametoxydiazine	20 ug/mL	280.30	N/A	N/A	651-06-9

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation
Remove to fresh air. If symptoms persist, call a physician.

Skin contact
Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion
Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders
Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media
Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media
No information available

Specific hazards arising from the chemical product
Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method
No information available

Special protective actions for fire-fighters
Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions
To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up
Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization
No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions	Container protected from light, and store tightly closed in freezer (-20°C). Packed with an inert gas. Store locked up.
Safe packaging material	Ampoule
Incompatible substances	Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acetonitrile 75-05-8	N/A	N/A	TWA: 20 ppm Skin
N,N-Dimethylformamide 68-12-2	TWA: 10 ppm OEL TWA: 30 mg/m³ OEL Skin ISHL/ACL: 10 ppm	ISHL/ACL: 10 ppm	TWA: 5 ppm Skin

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
Acetonitrile 75-05-8	10 ppm	N/A

Personal protective equipment

Respiratory protection	gas mask for organic gas (JIS T 8152)
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as ”Chemical Substances Hazardous to Skin, etc.”, use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	yellow
Turbidity	clear
Appearance	liquid
Odor	no data available
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	no data available
Flammability	Highly flammable liquid and vapor
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper：	no data available
Lower：	no data available
Flash point	9.5 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : miscible .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO_2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetonitrile	>2,000 mg/kg (Rat)	978.8 mg/kg (Rabbit)	16,000 ppm (Rat) 4 h
N,N-Dimethylformamide	3000 mg/kg (Rat)	3500 mg/kg (Rat)	4.7 mg/L (Mouse) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Acetonitrile	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

N,N-Dimethylformamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Acetonitrile	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Acetonitrile 75-05-8	-		A4	-
N,N-Dimethylformamide 68-12-2	-	Group 2A	A3	Group 2B

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Acetonitrile	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetonitrile	*EC50 : Pseudokirchneriella subcapitata >700 mg/L 72 h*	*LC50 : Oryzias latipes >100 mg/L 96 h*	*LC50 : Daphnia magna >100 mg/L 96 h*
N,N-Dimethylformamide	*EC50:Desmodesmus subspicatus 500 mg/L 96 h*	*LC50 : Oryzias latipes > 100 mg/L 96 h*	*EC50 : Daphnia magna 6,800 - 13,900 mg/L 48 h*

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Acetonitrile	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
N,N-Dimethylformamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability No information available
Bioaccumulative potential No information available
Mobility in soil No information available
Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues
Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated container and contaminated packaging
Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID
UN number UN1648
Proper shipping name: Acetonitrile
UN classfication 3
Subsidiary hazard class
Packing group II
Marine pollutant Not applicable

IMDG
UN number UN1648
Proper shipping name: Acetonitrile
UN classfication 3
Subsidiary hazard class
Packing group II
Marine pollutant (Sea) Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA
UN number UN1648
Proper shipping name: Acetonitrile
UN classfication 3
Subsidiary hazard class
Packing group II
Environmentally Hazardous Substance Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Category IV, Class I petroleums, dangerous grade 2 water-soluble
Poisonous and Deleterious Substances Control Law	Deleterious Substances 2nd. Grade
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Industrial Safety and Health Act (2024~)	【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law (2023.4.1-)	Class 1
Class 1 - No.	232
Export Trade Control Order	Not applicable
Air Pollution Control Law	Hazardous Air Pollutants
Soil Contamination Control Law	Designated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Acetonitrile 75-05-8 (90)	Applicable	Applicable	-
N,N-Dimethylformamide 68-12-2 (10)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
http://www.safe.nite.go.jp/japan/db.html
IATA dangerous Goods Regulations
RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS
Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
etc

Record of SDS revisions The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet