SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 08-Apr-2026
Revision Number 6.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Wakosil® C-200
Product Code	236-01667,238-01661,230-01665

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029
Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571
Recommended uses For research use only
Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Serious eye damage/eye irritation Category 2B
Specific target organ toxicity (single exposure) Category 3
Category 3 Respiratory irritation

Pictograms

Signal word Warning

Hazard statements
H320 - Causes eye irritation
H335 - May cause respiratory irritation

Precautionary statements-(Prevention)
- Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)
- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)
- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
amorphous silica(silica gel and precipitated silica)	100	N/A	(1)-548	*	112926-00-8

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation
Remove to fresh air. If symptoms persist, call a physician.
Skin contact
Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.
Ingestion
Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.
Protection of first-aiders
Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Unsuitable extinguishing media
No information available
Specific hazards arising from the chemical product
Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Special extinguishing method
No information available
Special protective actions for fire-fighters
Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.
Environmental precautions
To be careful not discharged to the environment without being properly handled waste water contaminated.
Methods and materials for contaminent and methods and materials for cleaning up
Sweep up and gather scattered particles, and collect it in an empty airtight container.
Recoverly, neutralization
No information available
Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions	Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.
Safe packaging material	Polyethylene, Polypropylene
Incompatible substances	No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection	Dust mask (JIS T 8151)
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as ”Chemical Substances Hazardous to Skin, etc.”, use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	white
Appearance	small granules
Odor	no data available
Melting point/freezing point	no data available
Boiling point, initial boiling point and boiling range	3,000 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper：	no data available
Lower：	no data available
Flash point	no data available

Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	6.5 - 7.5 (50g/L, 25°C) (Immersion in water)
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water , Ethanol , acetone , chloroform : practically insoluble,or insoluble . hot sodium hydroxide (aq.) : soluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	Particle size range : 63 - 212 um

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability Stable under recommended storage conditions.

Hazardous reactions
None under normal processing

Conditions to avoid
Extremes of temperature and direct sunlight, Moisture

Incompatible materials
No information available

Hazardous decomposition products
Silicon compounds

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
amorphous silica(silica gel and precipitated silica)	> 5,000 mg/kg (Rat, precipitated silica) > 5,110 mg/kg (Rat, precipitated silica)	> 2,000 mg/kg (Rabiit, silica gel) > 5,000 mg/kg (Rabbit, silica gel)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information

amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH
amorphous silica(silica gel and precipitated silica) 112926-00-8	N/A	Group 3	N/A	N/A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
amorphous silica(silica gel and precipitated silica)	*N/A*	*LC50 : Danio rerio 10000 mg/L 96 h*	*EC50 : Daphnia magna > 10000 mg/L 24 h*

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
amorphous silica(silica gel and precipitated silica)	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability No information available
Bioaccumulative potential No information available
Mobility in soil No information available
Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues
Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated container and contaminated packaging
Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated
UN number -
Proper shipping name:
UN classfication
Subsidiary hazard class
Packing group

Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classfication	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classfication	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
amorphous silica(silica gel and precipitated silica) 112926-00-8 (100)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Hazards identification. Composition/information on ingredients. Handling and storage. Exposure controls/personal protection. Physical and chemical properties. Stability and reactivity. Toxicological information. Ecological

information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet