



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 1.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Wetting Tension Test Mixture No.27.3		
Product Code	235-01811		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029		
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.		

### Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Flammable liquids
Acute toxicity - Oral
Serious eye damage/eye irritation
Reproductive Toxicity
Specific target organ toxicity (single exposure)
Category 1 systemic toxicity, central nervous system, Visual organ
Category 3 Narcotic effects
Specific target organ toxicity (repeated exposure)
Category 1 central nervous system, Visual organ
Pictograms

Category 2 Category 4 Category 2A Category 1B Category 1, Category 3

Category 1



#### **Hazard statements**

- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H360 May damage fertility or the unborn child
- H336 May cause drowsiness or dizziness
- H370 Causes damage to the following organs: systemic toxicity, central nervous system, Visual organ

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, Visual organ

#### **Precautionary statements-(Prevention)**

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling

- · Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

#### Precautionary statements-(Storage)

- Store locked up
- · Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Methanol	76.14	32.04	(2)-201	*	67-56-1
Water	23.86 18.02 - N/A 7732-18-5				
Note on ISHL No.: * in the table means announced chemical substances.					

Substances Remarks:

This Product includes the following componets. COLORANT;<0.1%

# Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixture with air

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

### No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

#### Safe storage conditions Storage conditions

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass Safe packaging material Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand-

and eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH	
Methanol	TWA: 200 ppm OEL	200ppm	TWA 200ppm(260mg/m <sup>3</sup> )	
67-56-1	TWA: 260 mg/m <sup>3</sup> OEL		STEL 250ppm	
	Skin			
	ISHL/ACL: 200 ppm			

#### Personal protective equipment Respiratory protection

Hand protection

Eye protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

#### Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Data except for the appearance is described as a methanol.

Color Blue	
Appearance liquid	
Odor characteristic odor	
Melting point/freezing point no data available	
Boiling point, initial boiling point and boiling range 65 °C	
Flammability Highly flammable liquid and vap	or
Evaporation rate: no data available	
Flammability (solid, gas): no data available	
Upper/lower flammability or explosive limits	
Upper: 36.5	
Lower: 6	
Flash point 11 °C	
Auto-ignition temperature: no data available	
Decomposition temperature: no data available	
pH no data available	
Viscosity (coefficient of viscosity) no data available	
Dynamic viscosity no data available	
Solubilities water : Very soluble.	
n-Octanol/water partition coefficient:(log Pow) no data available	
Vapour pressure123 hPa(20°C)	
Specific Gravity / Relative density no data available	
Vapour density 0.792	
Particle characteristics no data available	

# Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Extremes and sparks, static electricity, spark

# Strong oxidizing agents Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

# Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	1400 mg/kg ( Human )	15800 mg/kg(Rabbit)	>31500 ppm(Rat)4 h (vapor)

Chemical Name	-	Acute toxicity -dermal- source	, , , , , , , , , , , , , , , , , , , ,
	information	information	source information
Methanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
mounarior			Based on the NITE GHS classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Methanol	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Methanol	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Methanol	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Methanol	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Methanol	Based on the NITE GHS classification results.	

#### Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Methanol	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Methanol	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Methanol	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Methanol	Based on the NITE GHS classification results.	

# Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methanol	N/A	LC50 : Lepomis macrochirus	LC50 : Artemia
		15400 mg/L 96 h	1340 mg/L 96 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Methanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN1230 Methanol 3 6.1 II Not applicable
IMDG	
UN number	UN1230
Proper shipping name:	Methanol
UN classfication	3
Subsidiary hazard class	6.1
Packing group	II
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
	11014.000
UN number	UN1230 Methanol
Proper shipping name: UN classfication	3
Subsidiary hazard class	6.1
Packing group	U.1
Environmentally Hazardous	Not applicable
Substance	

# Section 15: REGULATORY INFORMATION

Japanese regulations			
Fire Service Act	Category IV, alcohols, dangerous grade 2 water-soluble		
Poisonous and Deleterious	Not applicable		
Substances Control Law			
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)			
-	Notifiable Substances (Law Art.57-2)		
	Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on		
	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)		

	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
	Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Act on the Evaluation of	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Chemical Substances and	
Regulation of Their	
Manufacture, etc	
Regulations for the carriage	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)
goods in ship	
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of
	Explosives etc., Attached Table 1)
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Law	Emotocoment ordinarios Appendix No. 1 Noxious inquid substance Category 1
Pollutant Release and Transfer	Not applicable
Register Law	Not applicable
3	
(2023.4.1-)	
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Methanol 67-56-1(76.14)	-	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html sources for data etc. IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

**Record of SDS revisions** The following contents were revised. Regulatory information.

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

... . . .

#### End of Safety Data Sheet