



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 9.070001

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Wetting Tension Test Mixture No.35.0		
Product Code	237-01871		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan		
Emergency telephone number Recommended uses	Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only		
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.		

Section 2: HAZARDS IDENTIFICATION

Category 3
Category 4
Category 2B
Category 1B
Category 1
Category 1
0 /

Pictograms



Hazard statements

- H226 Flammable liquid and vapour
- H320 Causes eye irritation
- H332 Harmful if inhaled
- H360 May damage fertility or the unborn child
- H370 Causes damage to the following organs: central nervous system, blood system, kidneys, liver
- H372 Causes damage to the following organs through prolonged or repeated exposure: blood system, testes

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools

• Take precautionary measures against static discharge

Precautionary statements-(Response)

· IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool
- Precautionary statements-(Disposal)
 - Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-Ethoxyethanol	65.0	90.12	(2)-2424,(2)-411,(7)	*	110-80-5
			-97		
Formamide	35.0	45.04	(2)-684,(2)-681	*	75-12-7
Note on ICUL No.					

Note on ISHL No.:

* in the table means announced chemical substances.

Substances Remarks:

This Product includes the following componets. COLORANT: < 0.1 %

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact IF IN EYF

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions Storage conditions

Safe packaging material Incompatible substances Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
2-Ethoxyethanol	TWA: 5 ppm OEL	ISHL/ACL: 5 ppm	TWA: 5 ppm

110-80-5	TWA: 18 mg/m³ OEL Skin ISHL/ACL: 5 ppm		Skin
Formamide 75-12-7	N/A	N/A	TWA: 1 ppm Skin

Personal protective equipment Respiratory protection

Hand protection

Eye protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dvnamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics

Blue liquid characteristic odor no data available no data available Flammable liquid and vapor no data available no data available

no data available no data available 46 - 56.5 °C no data available no data available no data available no data available water : Very soluble . -0.540 no data available 1.010 no data available no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute	toxicity
nouto	CONIDICY

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Ethoxyethanol	2125 - 5720 mg/kg (rat)	3900 mg/kg (rat)	4119 ppm (rat) 4 h
Formamide	3200 mg/kg (Rat)	> 13500 mg/kg (Rat)	> 21 mg/L(Rat)4 h
			X , <i>i</i>

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
2-Ethoxyethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.
Formamide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
2-Ethoxyethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
•	Classification results.	classification results.	classification results.
Formamide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	Classification results.

Skin irritation/corrosion

Chemical Name		Skin corros	ion/irritation sour	ce information	
2-Ethoxyethanol	2-Ethoxyethanol		Based on the NITE GHS classification results.		
Formamide	•		Based on the NITE GHS classification results.		
Serious eye damage/ irritation		•			
Chemical Name		Serious eye da	Serious eye damage/irritation source information		
2-Ethoxyethanol		Based on the NITE G	HS classification re	sults.	
Formamide		Based on the NITE G	HS classification re	sults.	
Respiratory or skin sensitization					
Chemical Name		Respiratory or S	kin sensitization	source information	
2-Ethoxyethanol		Based on the NITE G	HS classification re	sults.	
Formamide		Based on the NITE G	Based on the NITE GHS classification results.		
eproductive cell mutagenicity		·			
Chemical Name		germ cell mutagencity source information			
2-Ethoxyethanol		Based on the NITE G	Based on the NITE GHS classification results.		
Formamide		Based on the NITE G	Based on the NITE GHS classification results.		
arcinogenicity					
Chemical Name		Carcinogenicity source information			
2-Ethoxyethanol		Based on the NITE GHS classification results.			
Formamide		Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Formamide			A3		
75-12-7					
Reproductive toxicity					
Chemical Name		Reproduct	ive toxicity source	e information	

Chemical Name	Reproductive toxicity source information	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Formamide	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Formamide	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Formamide	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	

2-Ethoxyethanol	Based on the NITE GHS classification results.
Formamide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Ethoxyethanol	EC50:Pseudokirchneriella subcapitata	LC50:Killifish > 94.7 mg/L 96 h	EC50:Daphnia magna 89.5 mg/L 48 h
	> 100 mg/L 72 h		
Formamide	ErC50 : Pseudokirchneriella subcapitata > 1000 mg/L 72 h	LC50 : Oryzias latipes > 100 mg/L 96 h	EC50 : Daphnia magna > 500 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
2-Ethoxyethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Formamide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No in
Bioaccumulative potential	No in
Mobility in soil	No in
Hazard to the ozone layer	No in

nformation available nformation available nformation available nformation available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/R	ID
UN	num

ADR/RID	
UN number	UN1171
Proper shipping name:	Ethylene glycol monoethyl ether
UN classfication	3
Subsidiary hazard class	
Packing group	III
Marine pollutant	Not applicable
IMDG	
UN number	UN1171
Proper shipping name:	Ethylene glycol monoethyl ether
	3
UN classfication	3
Subsidiary hazard class	
Packing group	111
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN1171
	Ethylene glycol monoethyl ether
Proper shipping name:	

UN classfication	3
Subsidiary hazard class	
Packing group	III
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law	Category IV, Class II petroleums, dangerous grade 3 water-soluble Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on
	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
	Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<u>2024~)</u>	
Regulations for the carriage	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous goods in ship	Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Law	
Pollutant Release and Transfer	
Register Law	Class 2
(2023.4.1-)	
Class 1 - No.	57
Class 2 - No.	815
Export Trade Control Order	Not applicable
Air Pollution Control Law	Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
2-Ethoxyethanol 110-80-5 (65.0)	-	Applicable	Applicable
Formamide 75-12-7(35.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION		
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc	
Record of SDS revisions Disclaimer	The following contents were revised. Regulatory information.	

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet