



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 27-Feb-2024 Revision Number 1.1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Wetting Tension Test Mixture No.43.0		
Product Code	239-01951		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029		
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.		

Section 2: HAZARDS IDENTIFICATION

GHS classification	
Classification of the substance or mixture	
Flammable liquids	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Serious eye damage/eye irritation	Category 2B
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Category 1 central nervous system, blood system, kidneys, liver	
Specific target organ toxicity (repeated exposure)	Category 1
Category 1 blood system, testes	

Pictograms



Hazard statements

- H227 Combustible liquid
- H320 Causes eye irritation
- H332 Harmful if inhaled
- H360 May damage fertility or the unborn child
- H370 Causes damage to the following organs: central nervous system, blood system, kidneys, liver
- H372 Causes damage to the following organs through prolonged or repeated exposure: blood system, testes

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

• Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Formamide	77.2	45.04	(2)-684,(2)-681	*	75-12-7
2-Ethoxyethanol	22.8	90.12	(2)-2424,(2)-411,(7) -97	*	110-80-5

Note on ISHL No.:

* in the table means announced chemical substances.

Substances Remarks:

This Product includes the following componets. COLORANT;<0.1%

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions	Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Formamide 75-12-7	N/A	N/A	TWA: 1 ppm Skin
2-Ethoxyethanol 110-80-5	TWA: 5 ppm OEL TWA: 18 mg/m ³ OEL Skin ISHL/ACL: 5 ppm	ISHL/ACL: 5 ppm	TWA: 5 ppm Skin

Personal protective equipment **Respiratory protection** Protective mask Hand protection chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Eye protection Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Blue

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

liquid characteristic odor no data available no data available Combustible liquid no data available no data available no data available no data available 69 °C / 156 °F (TCC) no data available water : Very soluble. no data available no data available 1.08 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light. Hazardous reactions None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formamide	3200 mg/kg (Rat)	> 13500 mg/kg (Rat)	> 21 mg/L(Rat)4 h

2-Ethoxyethanol	2125 - 5720 mg/kg (rat)	3900 mg/kg (rat)	4119 ppm (rat) 4 h
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Formamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
.			
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Formamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS Classification results.
2-Ethoxyethanol	Based on the NITE GHS Classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Formamide	Based on the NITE GHS classification results.	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Serious eye damage/ irritation	·	
Chemical Name	Serious eye damage/irritation source information	
Formamide	Based on the NITE GHS classification results.	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Formamide	Based on the NITE GHS classification results.	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity	· ·	
Chemical Name	germ cell mutagencity source information	
Formamide	Based on the NITE GHS classification results.	
2-Ethoxyethanol	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Formamide	Based on the NITE GHS classification results.	
2-Ethoxyethanol	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Formamide			A3	
75-12-7				
Reproductive toxicity				
Chemical Name		Reproducti	ve toxicity source	information
Formamide		Based on the NITE GH	IS classification res	sults.
2-Ethoxyethanol		Based on the NITE GH	IS classification res	sults.
STOT-single exposure				
Chemical Name		STOT -single exposure- source information		
Formamide		Based on the NITE GHS classification results.		
2-Ethoxyethanol		Based on the NITE GHS classification results.		
STOT-repeated exposure				
Chemical Name		STOT -repeated exposure- source information		
Formamide		Based on the NITE GHS classification results.		
2-Ethoxyethanol		Based on the NITE GHS classification results.		
Aspiration hazard		-		
Chemical Name		Aspiratio	n Hazard source i	nformation
Formamide		Based on the NITE GHS classification results.		
2-Ethoxyethanol		Based on the NITE GHS classification results.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formamide	ErC50 : Pseudokirchneriella subcapitata > 1000 mg/L 72 h	LC50 : Oryzias latipes > 100 mg/L 96 h	EC50 : Daphnia magna > 500 mg/L 48 h
2-Ethoxyethanol	EC50:Pseudokirchneriella subcapitata > 100 mg/L 72 h	LC50:Killifish > 94.7 mg/L 96 h	EC50:Daphnia magna 89.5 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Formamide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
2-Ethoxyethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	Not regulated - Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated - Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Environmentally Hazardous Substance	Not regulated - Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law	Category IV, Class III petroleums, dangerous grade 3 water-soluble Not applicable
Industrial Safety and Health Act	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
	Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer	
Register Law	Class 2
(2023.4.1-)	57
Class 1 - No. Class 2 - No.	815
Export Trade Control Order Air Pollution Control Law	Not applicable Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Formamide 75-12-7 (77.2)	-	Applicable	Applicable
2-Ethoxyethanol 110-80-5 (22.8)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Pacard of SDS rovisions	The following contents were revised. Regulatory information

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet