

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 27-Feb-2024  
 Revision Number 3.1

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Wetting Tension Test Mixture No.52.0
<b>Product Code</b>	231-02011

<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses</b>	For research use only
<b>Restrictions on use</b>	Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

## Classification of the substance or mixture

**Serious eye damage/eye irritation**

Category 2B

**Reproductive Toxicity**

Category 1B

**Specific target organ toxicity (single exposure)**

Category 2

**Category 2** central nervous system, blood system, kidneys, liver

**Specific target organ toxicity (repeated exposure)**

Category 2

**Category 2** blood system, testes

## Pictograms



**Signal word**

Danger

## Hazard statements

H320 - Causes eye irritation

H360 - May damage fertility or the unborn child

H371 - May cause damage to the following organs: central nervous system, blood system, kidneys, liver

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system, testes

## Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

## Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

**Precautionary statements-(Storage)**

- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Formamide	93.7	45.04	(2)-684,(2)-681	*	75-12-7
2-Ethoxyethanol	6.3	90.12	(2)-2424,(2)-411,(7)-97	*	110-80-5

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** Not applicable

**Substances Remarks:** This Product includes the following componets. COLORANT;<0.1%

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin,

or inhaling the gas. Work from windward, and retract the people downwind.

#### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recovery, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

#### Safe storage conditions

##### Storage conditions

Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

##### Safe packaging material

Glass

#### Incompatible substances

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Formamide 75-12-7	N/A	N/A	TWA: 1 ppm Skin
2-Ethoxyethanol 110-80-5	TWA: 5 ppm OEL TWA: 18 mg/m <sup>3</sup> OEL Skin ISHL/ACL: 5 ppm	ISHL/ACL: 5 ppm	TWA: 5 ppm Skin

### Personal protective equipment

#### Respiratory protection

Protective mask

#### Hand protection

chemical protective gloves ( JIS T 8116 )

#### Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

#### Skin and body protection

Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Form</b>	
<b>Color</b>	Blue
<b>Appearance</b>	liquid
<b>Odor</b>	characteristic odor
<b>Melting point/freezing point</b>	no data available
<b>Boiling point, initial boiling point and boiling range</b>	135 °C
<b>Flammability</b>	no data available
<b>Evaporation rate:</b>	no data available
<b>Flammability (solid, gas):</b>	no data available
<b>Upper/lower flammability or explosive limits</b>	
<b>Upper:</b>	16 %
<b>Lower:</b>	2.6 %
<b>Flash point</b>	116 °C / 241 °F (COC)
<b>Auto-ignition temperature:</b>	235 °C / 455 °F
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	water : Very soluble.
<b>n-Octanol/water partition coefficient:(log Pow)</b>	-0.540
<b>Vapour pressure</b>	507 Pa
<b>Specific Gravity / Relative density</b>	1.122
<b>Vapour density</b>	3.1 (air = 1)
<b>Particle characteristics</b>	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	May be altered by light.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark
<b>Incompatible materials</b>	Strong oxidizing agents
<b>Hazardous decomposition products</b>	Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formamide	3200 mg/kg ( Rat )	> 13500 mg/kg ( Rat )	> 21 mg/L ( Rat ) 4 h
2-Ethoxyethanol	2125 - 5720 mg/kg (rat)	3900 mg/kg (rat)	4119 ppm (rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas-source information
Formamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust-source information	Acute toxicity -inhalation mist-source information

Formamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS Classification results.
2-Ethoxyethanol	Based on the NITE GHS Classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Skin irritation/corrosion**

Chemical Name	Skin corrosion/irritation source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Serious eye damage/ irritation**

Chemical Name	Serious eye damage/irritation source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Respiratory or skin sensitization**

Chemical Name	Respiratory or Skin sensitization source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Reproductive cell mutagenicity**

Chemical Name	germ cell mutagenicity source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Carcinogenicity**

Chemical Name	Carcinogenicity source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Formamide 75-12-7			A3	

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Formamide	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.

**Section 12: ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formamide	ErC50 : <i>Pseudokirchneriella subcapitata</i> > 1000 mg/L 72 h	LC50 : <i>Oryzias latipes</i> > 100 mg/L 96 h	EC50 : <i>Daphnia magna</i> > 500 mg/L 48 h
2-Ethoxyethanol	EC50: <i>Pseudokirchneriella subcapitata</i> > 100 mg/L 72 h	LC50: <i>Killifish</i> > 94.7 mg/L 96 h	EC50: <i>Daphnia magna</i> 89.5 mg/L 48 h

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Formamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
2-Ethoxyethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available

### Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

<b>ADR/RID</b>	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
<b>IMDG</b>	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
<b>IATA</b>	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

### Section 15: REGULATORY INFORMATION

**Japanese regulations**

<b>Fire Service Act</b>	Category IV, Class III petroleums, dangerous grade 3 water-soluble
<b>Poisonous and Deleterious Substances Control Law</b>	Not applicable
<b>Industrial Safety and Health Act</b>	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

	Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) Working Environment Evaluation Standards, Administrative Control Levels 【2024.4.1~】 Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
<b>Industrial Safety and Health Act (2024-)</b>	
<b>Regulations for the carriage and storage of dangerous goods in ship</b>	Not applicable
<b>Civil Aeronautics Law</b>	Not applicable
<b>Marine Pollution Prevention Law</b>	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
<b>Pollutant Release and Transfer Register Law (2023.4.1-)</b>	Class 1 Class 2
<b>Class 1 - No.</b>	57
<b>Class 2 - No.</b>	815
<b>Export Trade Control Order</b>	Not applicable
<b>Air Pollution Control Law</b>	Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Formamide 75-12-7 ( 93.7 )	-	Applicable	Applicable
2-Ethoxyethanol 110-80-5 ( 6.3 )	-	Applicable	Applicable

## Section 16: OTHER INFORMATION

### Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
 etc

### Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**