



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 27-Feb-2024

Revision Number 3.1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Wetting Tension Test Mixture No.56.0
Product Code	235-02031

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Serious eye damage/eye irritation
Reproductive Toxicity

Category 2B Category 1B

Pictograms



Signal word

Danger

Hazard statements

H320 - Causes eye irritation

H360 - May damage fertility or the unborn child

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Formamide	99.10	45.04	(2)-684,(2)-681	*	75-12-7
2-Ethoxyethanol	0.90	90.12	(2)-2424,(2)-411,(7) -97	*	110-80-5

Note on ISHL No.:

Substances Remarks:

This Product includes the following componets. COLORANT;<0.1%

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

^{*} in the table means announced chemical substances.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Formamide 75-12-7	N/A	N/A	TWA: 1 ppm Skin
2-Ethoxyethanol 110-80-5	TWA: 5 ppm OEL TWA: 18 mg/m³ OEL Skin ISHL/ACL: 5 ppm	ISHL/ACL: 5 ppm	TWA: 5 ppm Skin

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorBlueAppearanceliquid

Odorcharacteristic odorMelting point/freezing pointno data available

Boiling point, initial boiling point and boiling range 135 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: 16 % Lower: 2.6 %

Flash point 143 - 154 °C / 289 - 309 °F

Auto-ignition temperature: 500 °C / 932 °F

Decomposition temperature: no data available

PH no data available

Viscosity (coefficient of viscosity) no data available

Dynamic viscosity no data available

Solubilities water, acetone, general organic solvents: miscible.

n-Octanol/water partition coefficient:(log Pow) water, acetone, general organic solvents: miscible.

-0.540

Vapour pressure 507 Pa
Specific Gravity / Relative density 1.131
Vapour density 3.1 (air = 1)
Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

, 10 a. 10 a			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formamide	3200 mg/kg (Rat)	> 13500 mg/kg (Rat)	> 21 mg/L (Rat) 4 h
2-Ethoxyethanol	2125 - 5720 mg/kg (rat)	3900 mg/kg (rat)	4119 ppm (rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.
	***************************************		Based on the NITE GHS
= =::::::;; :::::::::::::::::::::::::::			classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Formamide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	Classification results.
2-Ethoxyethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	Classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Formamide	Based on the NITE GHS classification results.

2-Ethoxyethanol	2-Ethoxyethanol Based on the NITE GHS classification results.		sults.		
Serious eye damage/ irritation		L			
Chemical Name			Serious eye damage/irritation source information		
Formamide		Based on the NITE GHS			
2-Ethoxyethanol		Based on the NITE GHS	S classification res	sults.	
Respiratory or skin sensitization		1			
Chemical Name		Respiratory or Ski	in sensitization s	ource information	
Formamide		Based on the NITE GHS	S classification res	sults.	
2-Ethoxyethanol		Based on the NITE GHS	S classification res	sults.	
Reproductive cell mutagenicity					
Chemical Name		germ cell mu	tagencity source	information	
Formamide		Based on the NITE GHS	S classification res	sults.	
2-Ethoxyethanol		Based on the NITE GHS	S classification res	sults.	
Carcinogenicity					
Chemical Name	Chemical Name		Carcinogenicity source information		
Formamide		Based on the NITE GHS	S classification res		
2-Ethoxyethanol		Based on the NITE GHS classification results.			
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Formamide			A3		
75-12-7					
Reproductive toxicity					
Chemical Name		-	e toxicity source		
	Formamide		S classification res		
2-Ethoxyethanol		Based on the NITE GHS	S classification res	sults.	
STOT-single exposure					
Chemical Name		STOT -single exposure- source information			
Formamide	Formamide		Based on the NITE GHS classification results.		
2-Ethoxyethanol	2-Ethoxyethanol		Based on the NITE GHS classification results.		
STOT-repeated exposure					
Chemical Name			d exposure- soul		
Formamide		Based on the NITE GHS			
2-Ethoxyethanol		Based on the NITE GHS classification results.		sults.	
Aspiration hazard					

Section 12: ECOLOGICAL INFORMATION

Chemical Name

Formamide 2-Ethoxyethanol

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formamide	ErC50 : Pseudokirchneriella subcapitata > 1000 mg/L 72 h	LC50 : Oryzias latipes > 100 mg/L 96 h	EC50 : Daphnia magna > 500 mg/L 48 h
2-Ethoxyethanol	EC50:Pseudokirchneriella subcapitata > 100 mg/L 72 h	LC50:Killifish > 94.7 mg/L 96 h	EC50:Daphnia magna 89.5 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	,
Formamide		Based on the NITE GHS classification
	results.	results.
2-Ethoxyethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Aspiration Hazard source information

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available

No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication**

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not regulated ΙΔΤΔ

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

Not applicable

Regulations for the carriage

and storage of dangerous

goods in ship

Not applicable

Civil Aeronautics Law

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y Law

Pollutant Release and Transfer Class 2

Register Law (2023.4.1-)

Class 2 - No. 815

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
Formamide	-	Applicable	Applicable
75-12-7 (99.10)			
2-Ethoxyethanol	-	Applicable	-
110-80-5 (0.90)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet