



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 02-May-2024

Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Zeolite, Synthetic, A-3, Beads, 2.36 - 4.75mm (4 - 8mesh)
Product Code	260-00585

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture
Serious eye damage/eye irritation
Germ cell mutagenicity
Carcinogenicity
Specific target organ toxicity (repeated exposure)

Category 2 respiratory system, immune system, kidneys

Category 2A Category 2 Category 1A Category 2

Pictograms



Signal word

Danger

Hazard statements

H319 - Causes serious eye irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H373 - May cause damage to the following organs through prolonged or repeated exposure: respiratory system, immune system, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Zeolite	70 - 76	N/A	N/A	N/A	1318-02-1
Clay	21 - 27	N/A	N/A	N/A	N/A-26-0058-2
Water	=<5.0	18.02	-	-	7732-18-5
Silica sand	0.50 - 1.0	60.08	(1)-548	*	14808-60-7

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin,

^{*} in the table means announced chemical substances.

or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin and eyes Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Packed with an inert gas.

Safe packaging material Polyethylene

Incompatible substances No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name JSOH (Japan)		ISHL (Japan)	ACGIH	
Silica sand	TWA: 0.03 mg/m ³ OEL	N/A	TWA: 0.025 mg/m ³ respirable	
14808-60-7	-		particulate matter	

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color slight brown

Appearance Spherical

Odor no data available
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available
Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pecomposition temperature:
no data available
ph no data available
viscosity (coefficient of viscosity)
no data available
Dynamic viscosity
no data available

Solubilities water and organic solvents : practically insoluble, or insoluble .

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
No data available
Napour density
Napour density
No data available
Napour density
No data available

Particle characteristics Particle size range : 4 - 8 mesh

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

No information available

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Silicon compounds

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Zeolite	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 3.35 mg/L (Rat) 4 h	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.
•• • • • • • • • • • • • • • • • •			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
200.110	Based on the NITE GHS		Based on the NITE GHS classification results.
••			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Zeolite	Based on the NITE GHS classification results.	
Silica sand	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Zeolite	Based on the NITE GHS classification results.	
Silica sand	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Zeolite	Based on the NITE GHS classification results.	
Silica sand	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name germ cell mutagencity source information	
Zeolite	Based on the NITE GHS classification results.
Silica sand	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Zeolite	Based on the NITE GHS classification results.	
Silica sand	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Zeolite	N/A	Group 3	N/A	N/A
1318-02-1				
Silica sand	Known	Group 1	A2	Group 1
14808-60-7		·		·

Reproductive toxicity

Chemical Name Reproductive toxicity source information	
Zeolite	Based on the NITE GHS classification results.
Silica sand	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Zeolite	Based on the NITE GHS classification results.
Silica sand	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Zeolite	Based on the NITE GHS classification results.
Silica sand	Based on the NITE GHS classification results.
A section of the second section of the section of the second section of the section of the second section of the sectio	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Zeolite	Based on the NITE GHS classification results.
Silica sand	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Zeolite	EC50 : Desmodesmus subspicatus 18 mg/L 96 h	LC50 : Brachydanio rerio 1800 mg/L 96 h	EC50 : Daphnia magna 377.17 mg/L 96 h
Silica sand	N/A	LL0 : Danio rerio 10.000 ma/L 96 h	LL50 : Daphnia magna > 10.000 mg/L 24 h

\sim	har	· data	
υı	пеі	uale	1

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information

ſ	Zeolite	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.
ſ	Silica sand	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous

us Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Not applicable
Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

Regulations for the carriage Not applicable

and storage of dangerous goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Silica sand 14808-60-7 (0.50 - 1.0)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) ://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Handling and storage. Toxicological information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet