



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision Date 16-Jul-2021

Version 7.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product name | Zinc, Sandy, 99.9% |
|--------------|--------------------|
| Product code | 264-01622 |

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and

+81-6-6203-3741 / +81-3-3270-8571 For research use only

restrictions on use

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Serious eye damage/eye irritation
Short-term (acute) hazardous to the aquatic environment
Long-term (chronic) hazardous to the aquatic environment

Category 2B Category 1 Category 1

Pictograms



Signal word Warning

Hazard statements

H320 - Causes eye irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- · Avoid release to the environment

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- Collect spillage

Precautionary statements-(Storage)

· Not applicable

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Zn

| l | Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|---------------|---------------|------------------|------|----------|-----------|
| | Zinc | 99.9 | 65.38 | N/A | N/A | 7440-66-6 |
| | | (subtracting | | | | |
| | | method) | | | | |

Impurities and/or Additives : Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

dry sand, dry diatomaceous earth, dry slaked lime

Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with acidic and alkaline substances. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Acids, Strong oxidizing agents, Bases

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------|---------------------|--------------|-------|
| Zinc | 5 mg/m ³ | N/A | N/A |
| 7440-66-6 | _ | | |

Personal protective equipment

Respiratory protection Hand protectionDust mask

Protection gloves

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color grey Appearance Sandy

Odor No data available

Melting point/freezing point 419 °C Boiling point, initial boiling point and boiling range 930 °C

Flammability

Evaporation rate:

Flammability (solid, gas):

No data available

No data available

No data available

Upper/lower flammability or

explosive limits

Upper :No data availableLower :No data availableFlash pointNo data availableAuto-ignition temperature:No data availableDecomposition temperature:No data available

pH No data available
Viscosity (coefficient of viscosity) No data available
Dynamic viscosity No data available

Solubilities water: insoluble. hydrochloric acid, nitric acid, sulfuric acid

and sodium hydroxide (aq.): Reacts to generate hydrogen

gas.

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure

Specific Gravity / Relative density

Vapour density

No data available
No data available
No data available
Particle characteristics

No data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity No data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

Reacts with water, acids and alkalis to generate hydrogen gas.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Acids, Strong oxidizing agents, Bases

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------------|-------------|-----------------|
| Zinc | 630 mg/kg (Rat) | N/A | N/A |

| Chemical Name | Acute toxicity -oral- source | Acute toxicity -dermal- source | Acute toxicity -inhalation gas- |
|---------------|------------------------------|--------------------------------|---------------------------------|
| | information | information | source information |
| Zinc | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical | l Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|----------|--------|--|--|--|
| Zino | S | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information | |
|---------------|---|--|
| Zinc | Based on the NITE GHS classification results. | |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|---------------|--|
| Zinc | Based on the NITE GHS classification results. |
| | |

Respiratory or skin sensitization

| Cnemical Name | Respiratory or Skin sensitization source information |
|--------------------------------------|--|
| Zinc | Based on the NITE GHS classification results. |
| Daniel destination and mentagenicity | |

Reproductive cell mutagenicity

| Zing Based on the NITE CHS classification results | Chemical Name | germ cell mutagencity source information |
|--|---------------|---|
| Zinc Based on the Nitz One classification results. | Zinc | Based on the NITE GHS classification results. |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|---------------|---|
| Zinc | Based on the NITE GHS classification results. |

Reproductive toxicity

| itopi o a accity | |
|------------------|--|
| Chemical Name | Reproductive toxicity source information |

| Zinc | Based on the NITE GHS classification results. | | | | |
|------------------------|--|--|--|--|--|
| STOT-single exposure | | | | | |
| Chemical Name | STOT -single exposure- source information | | | | |
| Zinc | Based on the NITE GHS classification results. | | | | |
| STOT-repeated exposure | | | | | |
| Chemical Name | STOT -repeated exposure- source information | | | | |
| Zinc | Zinc Based on the NITE GHS classification results. | | | | |
| Aspiration hazard | | | | | |
| Chemical Name | Aspiration Hazard source information | | | | |
| Zinc | Based on the NITE GHS classification results. | | | | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea | |
|---------------|-----------------------------|----------------------------|-------------------------|--|
| Zinc | ErC50 : Pseudokirchneriella | LC50 : Oncorhynchus mykiss | EC50:Daphnia magna | |
| | subcapitata | 0.24 mg/L 96 h | 0.139 - 0.908 mg/L 48 h | |
| | 0.15 mg/L 72 h | | _ | |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the | | | |
|---------------|--|--|--|--|--|
| | aquatic environment source information | aquatic environment source information | | | |
| Zinc | Based on the NITE GHS classification | Based on the NITE GHS classification | | | |
| | results. | results. | | | |

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Zinc)

UN classfication

Subsidiary hazard class Packing group

Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN3077 **UN** number

Environmentally hazardous substance, solid, n.o.s. (Zinc) Proper shipping name:

UN classfication Subsidiary hazard class

Packing group

Ш Yes

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

International Inventories

Listed **EINECS/ELINCS** Listed **TSCA**

Japanese regulations

Fire Service Act Not applicable Not applicable **Poisonous and Deleterious Substances Control Law**

Industrial Safety and Health Act Not applicable

Regulations for the carriage

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

and storage of dangerous goods in ship

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Not applicable Pollutant Release and Transfer

Register Law

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Export Trade Control Order

Not applicable

Air Pollution Control Law

Hazardous Air Pollutants

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet