



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Mar-2024 Revision Number 1.11

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Suzuki-Miyaura Cross Coupling Reaction Experiment Kit2
Product Code	289-90581

FUJIFILM Wako Pure Chemical Corporation **Supplier**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture Acute toxicity - Inhalation (Dusts/Mists)

Category 4 Skin corrosion/irritation Category 2 Category 1 Serious eye damage/eye irritation Category 3

Specific target organ toxicity (single exposure) Category 3 Respiratory irritation, Narcotic effects

Pictograms



Danger

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

Precautionary statements-(Prevention)

- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- · If skin irritation occurs: Get medical advice/attention

- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Kit

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
4-(N,N-Dimethylamino)p	=<100	247.14	N/A	N/A	N/A-28-9058-2
henylboronic acid,					
pinacol ester					
Sodium Carbonate	99.8	105.99	(1)-164	*	497-19-8
2-Acetyl-5-bromothiophe	98.0	205.07	N/A	N/A	5370-25-2
ne					
Palladium(II) acetate	97.0	224.51	(2)-693	公表	3375-31-3
4-Methoxyphenylboric	96	151.96	N/A	N/A	5720-07-0
acid					

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

^{*} in the table means announced chemical substances.

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Kit

no data available Odor Melting point/freezing point no data available no data available Boiling point, initial boiling point and boiling range **Flammability** no data available **Evaporation rate:** no data available no data available Flammability (solid, gas):

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available no data available **Auto-ignition temperature: Decomposition temperature:** no data available no data available no data available Viscosity (coefficient of viscosity) **Dynamic viscosity** no data available **Solubilities** No data available n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density no data available no data available Vapour density **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

no data available Reactivity Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx), Halides, Boron oxide, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Carbonate	2,800 mg/kg (Rat)	>2,000 mg/kg (Rabbit)	1.2 mg/L (Rat) 4 h
Palladium(II) acetate	> 2000 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sodium Carbonate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Sodium Carbonate			Based on the NITE GHS Classification results.
Skin irritation/corrosion			

Skin irritation/corrosion	
Chemical Name	Skin corrosion/irritation source information
Sodium Carbonate	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
Sodium Carbonate	Based on the NITE GHS classification results.
Respiratory or skin sensitization	·
Chemical Name	Respiratory or Skin sensitization source information
Sodium Carbonate	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	·
Chemical Name	germ cell mutagencity source information
Sodium Carbonate	Based on the NITE GHS classification results.
Carcinogenicity	·
Chemical Name	Carcinogenicity source information
Sodium Carbonate	Based on the NITE GHS classification results.

Reproductive toxicity	
Chemical Name	Reproductive toxicity source information
Sodium Carbonate	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Sodium Carbonate	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Sodium Carbonate	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Sodium Carbonate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Carbonate	EC50 : Nitzschia	LC50 : Lepomis macrochirus	EC50 : Daphnia magna
	242 mg/L 120 h	300 mg/L 96 h	250 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Sodium Carbonate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant

Not applicable

IMDG Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: **UN classfication** Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable Not applicable Poisonous and Deleterious

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~)

Regulations for the carriage and storage of dangerous

Not applicable

goods in ship

Civil Aeronautics Law Not applicable

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating **Water Pollution Control Act**

Wastewater Standards Art.1)

Export Trade Control Order Not applicable

Hazardous Air Pollutants **Air Pollution Control Law**

Soil Contamination Control LawDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
4-(N,N-Dimethylamino)phenylboronic acid, pinacol ester N/A-28-9058-2 (=<100)	-	-	Applicable
4-Methoxyphenylboric acid 5720-07-0 (96)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet