



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 15-Sep-2023 Revision Number 4.06

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Weigert's Iron Hematoxylin Staining Set	
Product Code	298-21741	

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number** 

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Flammable liquids Category 2 Category 2 Skin corrosion/irritation Category 2A Serious eye damage/eye irritation Germ cell mutagenicity Category 1B **Reproductive Toxicity** Category 1A Specific target organ toxicity (single exposure) Category 3

Category 3 Respiratory irritation, Narcotic effects Specific target organ toxicity (repeated exposure)

Danger

Category 1 liver



Signal word



# **Hazard statements**

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

# **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

Category 1

- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- · Take precautionary measures against static discharge
- · Keep cool

#### Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · In case of fire: Use suitable extinguishing media for extinction

#### **Precautionary statements-(Storage)**

- Store locked up
- · Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Kit (Set of mixtures)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Weigert"s Iron	-	N/A	N/A	N/A	N/A-29-2174-1
Hematoxylin Solution I					
(1% Hematoxylin - 96%					
Ethanol)					
Weigert"s Iron	-	N/A	N/A	N/A	N/A-29-2174-2
Hematoxylin Solution II					
(2% Iron(III) Chloride					
Hexahydrate - 0.25%					
Hydrochloric Acid)					

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Hazardous Component Ethanol 96%, Iron(III) Chloride 2%, Hematoxylin 1%, Hydrochloric acid 0.25%

Substances Remarks: The composition considered to be hazardous are listed in the above. The remaining

ingredients are not hazardous substances, or exist at below reportable level.

#### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

# Special extinguishing method

No information available

#### Special protective actions for

## fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

# Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Section 7: HANDLING AND STORAGE

#### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### **Storage**

#### Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Ethanol 64-17-5	N/A	N/A	STEL: 1000 ppm
Iron(III) chloride 7705-08-0	N/A	N/A	TWA: 1 mg/m³ Fe
Hydrochloric Acid 7647-01-0	5ppm(7.5mg/m <sup>3</sup> )	N/A	Ceiling: 2 ppm

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152)
Hand protection chemical protective gloves (JIS T 8116)
Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Appearance Kit (Set of mixtures)
Odor no data available
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available

Flammability Highly flammable liquid and vapor

**Evaporation rate:**no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 19 °C

Auto-ignition temperature: no data available **Decomposition temperature:** no data available no data available no data available Viscosity (coefficient of viscosity) **Dynamic viscosity** no data available **Solubilities** water: soluble. no data available n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure Specific Gravity / Relative density no data available Vapour density no data available **Particle characteristics** no data available

# **Section 10: STABILITY AND REACTIVITY**

## **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products
Carbon monooxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl) gas, Metal oxides

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	6200 mg/kg ( Rat )	20000 mg/kg ( Rabbit )	63000 ppmV ( Rat ) 4 h
Iron(III) chloride	1872 mg/kg ( Rat )	N/A	N/A
Hydrochloric Acid	238 - 277 mg/kg ( Rat )	>5010 mg/kg(Rabbit)	1411 ppm ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Ethanol			Based on the NITE GHS
	classification results.	classification results.	classification results.
Iron(III) chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, ,	classification results.	classification results.	classification results.
Hydrochloric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Iron(III) chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, ,	classification results.	classification results.	classification results.
Hydrochloric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	Classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Ethanol	Known	Group 1	A3	-
64-17-5				
Hydrochloric Acid	N/A	Group 1	N/A	N/A
7647-01-0		Group 3		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Ethanol	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Hydrochloric Acid	Based on the NITE GHS classification results.

**STOT-single exposure** 

Chemical Name	al Name STOT -single exposure- source information	
Ethanol	Based on the NITE GHS classification results.	
Iron(III) chloride	Based on the NITE GHS classification results.	
Hydrochloric Acid	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name STOT -repeated exposure- source information	
Ethanol	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Hydrochloric Acid	Based on the NITE GHS classification results.

**Aspiration hazard** 

Chemical Name Aspiration Hazard source information	
Ethanol	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.
Hydrochloric Acid	Based on the NITE GHS classification results.

# **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	EC50 : Chlorella alga	LC50 : Oncorhychus mykiss	EC50 : Daphnia magna
	1000 mg/L 96 h	11200 ppm 96 h	5463 mg/L 48 h
Iron(III) chloride	N/A	LC50:Lepomis macrochirus	EC50:Daphnia magna
		20.26 mg/L 96 h	37.5 mg/L 48 h
Hydrochloric Acid	N/A	N/A	EC50 : Daphinia magna
-			0.492 mg/L 48 h

Other data

Other data		
Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Iron(III) chloride	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Hydrochloric Acid	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

### ADR/RID

UN number UN1170 Proper shipping name: Ethanol **UN classfication** 3

Subsidiary hazard class

Packing group

Not applicable Marine pollutant

**IMDG** 

UN1170 **UN** number Ethanol Proper shipping name: **UN classfication** 

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**UN** number UN1170 Proper shipping name: Ethanol solution

**UN classfication** 

Subsidiary hazard class

Packing group ш

**Environmentally Hazardous** Not applicable

**Substance** 

### Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.61,98,352

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage

and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Civil Aeronautics Law

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Law Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

**Export Trade Control Order** Not applicable

Air Pollution Control Law Hazardous Air Pollutants

industrial Salety and Health Law				
Law Name	Chemical Name in Regulation	Ordinance Number	Weight %	
Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9, and Law Art.56-1)	Ethanol solution	61	96	
Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9, and Law Art.56-1)	Hydrogen chloride	98	>0.2	
Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No. 9, and Law Art.56-1)	Water-soluble iron salts	352	<1	

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**