



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 01-Mar-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	DNA Extractor® FM Kit
Product Code	295-58501

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids Category 2 Acute toxicity - Oral Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Germ cell mutagenicity Category 1B **Reproductive Toxicity** Category 1A Category 1, Category 3

Specific target organ toxicity (single exposure)

Category 1 central nervous system, kidneys, systemic toxicity

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 liver





Hazard statements

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H340 - May cause genetic defects

H360 - May damage fertility or the unborn child

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system, kidneys, systemic toxicity

H372 - Causes damage to the following organs through prolonged or repeated exposure: liver

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Kit (Set of mixtures)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Lysis Solution	•	N/A	N/A	N/A	292-58511
Enzyme-activated Reagent	-	N/A	N/A	N/A	299-58521
Reconstitution Solution	•	N/A	N/A	N/A	296-58531
Protease	-	N/A	N/A	N/A	293-58541
Sodium Iodide Solution	•	N/A	N/A	N/A	290-58551
Washing Solution A	Ī	N/A	N/A	N/A	297-58561
Washing Solution B	•	N/A	N/A	N/A	294-58571

Note on ISHL No.: * in the table means announced chemical substances.

Hazardous Component Sodium Iodide (CAS 7681-82-5)50-70%, 2-Propanol(CAS 67-63-0)30-40%, Ethanol(CAS

64-17-5)60-70%

Substances Remarks: The composition considered to be hazardous are listed in the above. The remaining

ingredients are not hazardous substances, or exist at below reportable level.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with

skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.

Safe packaging material Glass, Polypropylene Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Ethanol	N/A	N/A	STEL: 1000 ppm
64-17-5			
2-Propanol 67-63-0	Ceiling: 400 ppm Ceiling: 980 mg/m ³ ISHL/ACL: 200 ppm	ISHL/ACL: 200 ppm	STEL: 400 ppm TWA: 200 ppm
Sodium iodide 7681-82-5	N/A	N/A	TWA: 0.01 mg/m³ I inhalable particulate matter Skin

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Appearance Kit (Set of mixtures)
Odor no data available
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available

Flammability Highly flammable liquid and vapor

Evaporation rate: no data available no data available no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities water: soluble. n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available no data available Specific Gravity / Relative density Vapour density no data available

Particle characteristics

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
	Ethanol	6200 mg/kg (Rat)	20000 mg/kg (Rabbit)	63000 ppmV (Rat) 4 h
	2-Propanol	4384 mg/kg (Rat)	12870 mg/kg (Rabbit)	27908 ppmV (Rat) 4 h
Г	Sodium iodide	4340 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
2-Propanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
'	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
2-Propanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
'	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Ethanol	Based on the NITE GHS classification results.
2-Propanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name Serious eye damage/irritation source infor	
Ethanol	Based on the NITE GHS classification results.
2-Propanol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Ethanol	Based on the NITE GHS classification results.
2-Propanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Ethanol	Based on the NITE GHS classification results.
2-Propanol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Ethanol	Based on the NITE GHS classification results.

2-Propanol	Based on the NITE GHS classification results.
------------	---

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Ethanol	Known		A3	-
64-17-5				
2-Propanol	-	Group 3		-
67-63-0		· ·		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Ethanol	Based on the NITE GHS classification results.	
2-Propanol	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Ethanol	Based on the NITE GHS classification results.	
2-Propanol	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Ethanol	Based on the NITE GHS classification results.	
2-Propanol	Based on the NITE GHS classification results.	

Aspiration hazard

•	iophation nazara	
	Chemical Name Aspiration Hazard source information	
Ethanol Based on the NITE GHS class		Based on the NITE GHS classification results.
2-Propanol		Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol	EC50 : Chlorella alga	LC50 : Oncorhychus mykiss	EC50 : Daphnia magna
	1000 mg/L 96 h	11200 ppm 96 h	5463 mg/L 48 h
2-Propanol	ErC50 : Pseudokirchneriella subcapitata > 1000 mg/L 72 h	LC50 : Orange-red Killish > 100 mg/L 96 h	EC50 : Daphinia magna > 1000 mg/L 48 h
Sodium iodide	N/A	LC50 : rainbow trout 860 mg/L 96 h	N/A

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Ethanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	
2-Propanol	Based on the NITE GHS classification	Based on the NITE GHS classification	
·	results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

W01W0129-5850 JGHEEN DNA Extractor® FM Kit

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1170 Proper shipping name: Ethanol solution

UN classfication Subsidiary hazard class

Packing group Ш

Not applicable Marine pollutant

IMDG

UN number UN1170 Proper shipping name: Ethanol solution

UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1170

Ethanol solution Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group Ш

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, 【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of **Chemical Substances and** Regulation of Their Manufacture, etc

Regulations for the carriage and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of **Civil Aeronautics Law**

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable **Industrial Safety and Health Law**

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	Ethanol	60-70	Existing Law
Notifiable Substances (Law Art.57-2)	Propyl alcohol	30-40	Existing Law
Notifiable Substances (Law Art.57-2)	lodine and lodine compounds	50-70	Existing Law

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet