



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 4.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Human s Amyloid(1-40) ELISA Kit Wako
Product Code	292-62301

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASpecific target organ toxicity (single exposure)Category 2

Category 2 respiratory system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 respiratory system

Pictograms



Signal word

Warning

Hazard statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H371 May cause damage to the following organs: respiratory system
- H373 May cause damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- · If skin irritation occurs: Get medical advice/attention

• Take off contaminated clothing and wash before reuse

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Kit (Set of mixtures)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Antibody(BAN50)-coated Microtiter Plate	-	N/A	N/A	N/A	N/A-29-6230-1
Standard Solution	-	N/A	N/A	N/A	N/A-29-6230-2
Standard Diluent	-	N/A	N/A	N/A	N/A-29-6230-3
Wash Solution(20X)	-	N/A	N/A	N/A	N/A-29-6230-4
HRP-conjugated Antibody(BA27) Solution	-	N/A	N/A	N/A	N/A-29-6230-5
TMB Solution	-	N/A	N/A	N/A	N/A-29-6230-6
Stop Solution	-	N/A	N/A	N/A	N/A-29-6230-7
Plate Seal	-	N/A	N/A	N/A	N/A-29-6230-8

Note on ISHL No.: * in the table means announced chemical substances.

Hazardous Component Sulfu

Substances Remarks: The composition considered to be hazardous are listed in the above. The remaining

ingredients are not hazardous substances, or exist at below reportable level.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.

Safe packaging material No information available

Incompatible substances Strong oxidizing agents, alkaline substances

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH		
Sulfuric Acid	Ceiling: 1 mg/m ³	N/A	TWA 0.2mg/m ³		
7664-93-9					

Personal protective equipment

Respiratory protection Gas mask for acidic gas (JIS T 8152) Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Appearance

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

Kit (Set of mixtures)
no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities water: freely soluble. n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density no data available Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents, alkaline substances

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Phosphorus oxide, Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric Acid	2140 mg/kg (Rat)	N/A	0.375 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Sulfuric Acid			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
• • • • • • • • • • • • • • • • • • • •			Based on the NITE GHS classification results.

Skin irritation/corrosion

OKIII II					
Chemical Name		Skin corrosion/irritation source information			
Sulfuric Acid		Based on the NITE GHS classification results.		sults.	
Serious eye damage/ irritation					
Chemical Name		Serious eye da	mage/irritation so	urce information	
Sulfuric Acid		Based on the NITE GH	HS classification res	sults.	
Respiratory or skin sensitization					
Chemical Name				ource information	
Sulfuric Acid		Based on the NITE GH	HS classification re	sults.	
Reproductive cell mutagenicity					
Chemical Name		germ cell m	utagencity source	e information	
Sulfuric Acid		Based on the NITE GH	S classification re	sults.	
Carcinogenicity					
Chemical Name		Carcinogenicity source information			
Sulfuric Acid	Sulfuric Acid		Based on the NITE GHS classification results.		
Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)	
Sulfuric Acid	-	Group 1	A2	-	
7664-93-9					
Reproductive toxicity					
Chemical Name			ive toxicity source		
Sulfuric Acid		Based on the NITE GH	IS classification res	sults.	
STOT-single exposure					
Chemical Name		STOT -single exposure- source information			
Sulfuric Acid		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name			STOT -repeated exposure- source information		
Sulfuric Acid Based on the NITE GHS classification results.		sults.			
Aspiration hazard	•	_	•		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sulfuric Acid	N/A	LC50:Lepomis macrochirus 16 - 28 mg/L 96 h	LC50:Daphnia magna 29 mg/L 24 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Sulfuric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results	results

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Chemical Name

Sulfuric Acid

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Aspiration Hazard source information

Based on the NITE GHS classification results.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Diluted Sulfuric Acid)

UN classfication

Subsidiary hazard class

Ш Packing group

Marine pollutant Not applicable

IMDG

UN number UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Diluted Sulfuric Acid)

UN classfication

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3264

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Diluted Sulfuric Acid)

UN classfication

Subsidiary hazard class

Packing group

Not applicable **Environmentally Hazardous**

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable **Poisonous and Deleterious** Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Specified Chemical Substances Art.2 Para.1, Item 6)

Notifiable Substances (Law Art.57-2)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326)

Industrial Safety and Health Act (

2024~)

Regulations for the carriage and storage of dangerous

goods in ship

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Industrial Safety and Health Law

Law Name Chemical Name in Regulation Weight %

Notifiable Substances (Law Art.57-2)	Sulfuric acid	2	Existing Law

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances

Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet