



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Apoptosis in situ Detection Kit Wako	
Product Code	293-71501	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan	

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Oral Category 2
Serious eye damage/eye irritation Category 2B
Carcinogenicity Category 1A
Specific target organ toxicity (single exposure) Category 2
Category 2 central nervous system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 liver

Acute aquatic toxicity
Chronic aquatic toxicity
Category 3
Category 3

Pictograms



Signal word

Danger

Hazard statements

H320 - Causes eye irritation

H300 - Fatal if swallowed

H350 - May cause cancer

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

H371 - May cause damage to the following organs: central nervous system

H373 - May cause damage to the following organs through prolonged or repeated exposure: liver

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Kit (Set of mixtures)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Protein Digestion	-	N/A	N/A	N/A	N/A-29-7151
Enzyme					
TdT	-	N/A	N/A	N/A	N/A-29-7152
TdT Substrate Solution	-	N/A	N/A	N/A	N/A-29-7153
100xPOD-Conjugated	-	N/A	N/A	N/A	N/A-29-7154
Antibody					
DNase I	-	N/A	N/A	N/A	N/A-29-7155
10xDNase I Reaction	-	N/A	N/A	N/A	N/A-29-7156
Buffer					

Note on ISHL No.: * in the table means announced chemical substances.

Hazardous Component Glycerol 50%, 2-Melcaptoethanol <0.01%, Polyoxyethylene (10) Octylphenyl Ether <1.0%, Cobalt

Chloride Hexahydrate <0.1%, Potassium Cacodylic Acid 3.6%, Phenyl Methane Sulphonyl Fluoride

<0.01%

Substances Remarks: The composition considered to be hazardous are listed in the above. The remaining

ingredients are not hazardous substances, or exist at below reportable level.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in cold (-20°C). Keep container tightly closed. Store locked up.

Safe packaging material Polypropylene, Polyethylene Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Glycerol	N/A	N/A	TWA 10mg/m 3 (vapor)
56-81-5			• • • • • • • • • • • • • • • • • • • •

Cobalt(II) chloride hexahydrate	TWA: 0.05 mg/m ³ OEL	ISHL/ACL: 0.02 mg/m ³	TWA: 0.02 mg/m ³ Co inhalable
7791-13-1	ISHL/ACL: 0.02 mg/m ³	-	particulate matter

Personal protective equipment

Protective mask Respiratory protection

Hand protection chemical protective gloves (JIS T 8116)

protective eyeglasses or chemical safety goggles (JIS T 8147) Eye protection

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

liauid **Appearance**

Odor no data available no data available Melting point/freezing point Boiling point, initial boiling point and boiling range no data available no data available **Flammability Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: no data available no data available Lower: no data available Flash point **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** No data available n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density no data available no data available Vapour density Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

no data available Reactivity

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulfur oxides (SOx), Phosphorus oxide, Halides, Arsenic oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phenylmethylsulfonyl fluoride	200 mg/kg (Mouse)	N/A	N/A
Glycerol	12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat) 1 h
Cobalt(II) chloride hexahydrate	80 mg/kg (Rat)	N/A	N/A
2-Mercaptoethanol	244 mg/kg (Rat)	150 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
. ,	classification results.	classification results.	classification results.
i diyotilyiono giyoo p dotyiphonyi			Based on the NITE GHS
ether	classification results.	classification results.	classification results.
2-Mercaptoethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
·	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Cobalt(II) chloride hexahydrate			Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether			Based on the NITE GHS classification results.
2-Mercaptoethanol			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Carcinogenicity

- can our germany	
Chemical Name	Carcinogenicity source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Cobalt(II) chloride hexahydrate	Reasonably	Group 2B	A3	Group 2B
7791-13-1	Anticipated			

Reproductive toxicity

to produce the comment.		
Chemical Name	Reproductive toxicity source information	
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.	
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.	
2-Mercaptoethanol	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification results.
2-Mercaptoethanol	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Glycerol	N/A	LC50:Oncorhynchus mykiss	EC50:Daphnia magna
		51 - 57 mL/L 96 h	500 mg/L 24 h
Cobalt(II) chloride hexahydrate	EC50: Lemna minor	N/A	LC50:Daphnia magna
	0.47 mgCoCl2/L 7 d		2.4 mg CoCl2/L 48 h
Polyethylene glycol	N/A	LC50 : Lepomis macrochirus	N/A
p-octylphenyl ether		3 mg/L 96 h	
2-Mercaptoethanol	EC50:Desmodesmus	LC50:Leuciscus idus	EC50:Daphnia magna
	subspicatus	46 - 100 mg/L 96 h	0.4 mg/L 48 h
	12 mg/L 72 h		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Polyethylene glycol p-octylphenyl ether	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
2-Mercaptoethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1556

Proper shipping name: Arsenic compound, liquid, n.o.s., inorganic (Potassium Cacodylic Acid Solution)

UN classfication 6.1

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1556

Proper shipping name: Arsenic compound, liquid, n.o.s., inorganic (Potassium Cacodylic Acid Solution)

UN classification 6.

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1556

Proper shipping name: Arsenic compound, liquid, n.o.s., inorganic (Potassium Cacodylic Acid Solution)

UN classfication 6.

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Poisonous Substances 2nd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Regarding Transport by Ship and Storage, Attached Table 1)

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Not applicable

Air Pollution Control Law Priority Chemical Substances
Soil Contamination Control LawDesignated Hazardous Substances

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	Arsenic and its compounds	3.6	Existing Law

Poisonous and Deleterious Substances Control Law

SECTION	Chemical Name in Regulation
Poisonous Substances	Arsenic compounds and their preparations

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet