



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 25-Mar-2024

Revision Number 1.02

Category 2

Category 4

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | H-ORAC Activity Assay Kit |
|--------------|---------------------------|
| Product Code | 295-79501 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Self-heating substances and mixtures
Acute toxicity - Oral
Skin corrosion/irritation

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASkin sensitizationCategory 1

Pictograms





Signal word

Warning

Hazard statements

- H252 Self-heating in large quantities; may catch fire
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H317 May cause an allergic skin reaction

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing should not be allowed out of the workplace
- Keep cool. Protect from sunlight
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water

- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth

Precautionary statements-(Storage)

- · Maintain air gap between stacks/pallets
- Store away from other materials

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Kit (Set of mixtures)

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|--|----------|------------------|-------------------|-------------------|-------------|
| (E)-Ferulic Acid | - | 194.18 | N/A | 4-(4)-1051 | 1135-24-6 |
| Fluorescein | - | 332.31 | (5)-671,(5)-3060 | (5)-671,(5)-3060 | 2321-07-5 |
| 2,2'-Azobis(2-methylpro pionamidine)dihydrochlo ride | - | 271.19 | (2)-2885,(2)-1242 | (2)-2885,(2)-1242 | 2997-92-4 |
| Trolox | - | 250.29 | N/A | 8-(4)-2114 | 53188-07-1 |
| Assay Buffer | - | N/A | N/A | N/A | N/A-29-7955 |

Note on ISHL No.:

This kit also includes a 96-well microplate, plate seal as Article.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Container protected from light, and store tightly closed in freezer (-20°C).

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Appearance Kit

Odor

Melting point/freezing point

Boiling point, initial boiling point and boiling range
Flammability

Evaporation rate:

Flammability (solid, gas):

no data available
no data available
no data available
no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available **Decomposition temperature:** no data available no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities No data available n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure no data available Specific Gravity / Relative density Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|------------------|--------------------|-----------------|
| 2,2'-Azobis(2-methylpropionam | 410 mg/kg (Rat) | > 5900 mg/kg (Rat) | N/A |
| idine)dihydrochloride | | | |
| Trolox | 4300 mg/kg (Rat) | N/A | N/A |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|--|--|
| 2,2'-Azobis(2-methylpropionamidine)dihydrochloride | Skin; rabbit; 500mg; Mild(EPASRS: 8EHQ-0282-0427S) |
| | |

Serious eye damage/irritation

Chemical Name
Serious eye damage/irritation source information and the state of the state o

| Chemical Name | Serious eye damage/irritation source information |
|---------------|---|
| | lassified as mildly irritating to the eye. Two of the three rabbits ad a conjunctivitis score of 2 or higher after 24, 48, and 72 |

| | hours. |
|--|---|
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| 2,2'-Azobis(2-methylpropionamidine)dihydrochloride | Skin sensitization: Strong sensitization (guinea pig) |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| 2,2'-Azobis(2-methylpropionamidine)dihydrochloride | Reverse mutation assay in S.typhimurium and E.coli (Salmonella) Negative |
| Carcinogenicity | no data available |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|--|--|
| 2,2'-Azobis(2-methylpropionamidine)dihydrochloride | NOAEL 60mg/kg |

STOT-single exposure STOT-repeated exposure

no data available

| Chemical Name | STOT -repeated exposure- source information |
|--|---|
| 2,2'-Azobis(2-methylpropionamidine)dihydrochloride | 28-D NOAEL 25mg/kg |

Aspiration hazard no data available

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity no data available

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|----------------------|--|---|
| 2,2'-Azobis(2-methylpropionam idine)dihydrochloride | N/A | EC10(Bacteria): >10000mg/L/96hr EC50(Bacteria): >10000mg/L/96hr LC50(golden orfe): 570mg/L/96hr 95% Confidence limits(golden orfe): 470~680mg/L NOEC(golden orfe): 320mg/L | NOEC(Daphnia pulex):4.8mg/L/24h NOEC(Daphnia pulex):1.2mg/L/48h EC50i(Daphnia pulex):13mg/L/24h EC50i(Daphnia pulex):3.5mg/L/48h |

Other data no data available

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3088

Proper shipping name: Self-heating solid, organic, n.o.s. (2,2'-Azobis(2-methylpropionamidine) Dihydrochloride)

UN classfication 4.2

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN3088

Proper shipping name: Self-heating solid, organic, n.o.s. (2,2'-Azobis(2-methylpropionamidine) Dihydrochloride)

UN classification 4.2

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3088

Proper shipping name: Self-heating solid, organic, n.o.s. (2,2'-Azobis(2-methylpropionamidine) Dihydrochloride)

UN classfication 4.2

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law
Not applicable
Not applicable

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~)

Regulations for the carriage and storage of dangerous

goods in ship

Civil Aeronautics Law

Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Flammable Solids - Spontaneously Combustible Solids (Ordinance Art.194, MITL

Nortification for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet