



SAFETY DATA SHEET

According to JIS Z 7253:2019 **Revision date** 03-Apr-2023 Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	(Trimethylsilyl)acetylene
Product Code	325-48221,321-48223
Manufacturer	FUJIFILM Wako Pure Chemical Corporation
Manufacturer	1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 3 Respiratory irritation

Category 2 Category 2 Category 2A Category 3

Pictograms



Hazard statements

- H225 Highly flammable liquid and vapor
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment

- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

Store in a well-ventilated place. Keep container tightly closed

- · Store locked up
- **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C5H10Si

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
(Trimethylsilyl)acetylene	97.0	98.22	(2)-3779	2-(2)-288	1066-54-2
Note on ISHL No.:	* in the	table means annour	ced chemical substa	inces.	

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

 Safe storage conditions

 Storage conditions

 Storage conditions

 Safe packaging material

 Incompatible substances

Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.
Storage conditions
Storage c

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection General hygiene considerations	gas mask for organic gas (JIS T8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or overleaging limits	Colorless - pale yellow liquid no data available no data available 53 °C no data available no data available no data available
explosive limits Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pH Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics	no data available no data available -34 °C no data available no data available no data available no data available Ethanol , acetone : miscible . water : practically insoluble,or insoluble . no data available no data available no data available no data available no data available no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Silicon compounds

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Skin irritation/corrosion Serious eye damage/ irritation Respiratory or skin sensitization Reproductive cell mutagenicity Carcinogenicity

Reproductive toxicity STOT-single exposure

no data available

no data available no data available no data available no data available no data available

no data available no data available

STOT-repeated exposure Aspiration hazard

no data available no data available

Section 12: ECOLOGICAL INFORMATION Ecotoxicity No information available Other data no data available Persistence and degradability Bioaccumulative potential Mobility in soil No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN1993
Proper shipping name:	Flammable liquid, n.o.s. ((Trimethylsilyl)acetylene)
UN classfication	3
Subsidiary hazard class	
Packing group	II
Marine pollutant	Not applicable
IMDG	
UN number	UN1993
••••••••	Flammable liquid, n.o.s. ((Trimethylsilyl)acetylene)
Proper shipping name: UN classfication	3
	5
Subsidiary hazard class	П
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
	11014000
UN number	UN1993
Proper shipping name:	Flammable liquid, n.o.s. ((Trimethylsilyl)acetylene)
UN classfication	3
Subsidiary hazard class	11
Packing group	 Nat annliachta
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA

Listed Listed

Japanese regulations

	Section 16: OTHER INFORMATION
(2023.4.1-) Export Trade Control Order	Not applicable
Register Law	
Pollutant Release and Transfer	
goods in ship Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)
Regulations for the carriage	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
Industrial Safety and Health Act	tDangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Substances Control Law	
Poisonous and Deleterious	Not applicable
Fire Service Act	Category IV, Class I petroleums, dangerous grade 2

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet