

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
Revision date 09-Oct-2024  
Revision Number 2.06

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	2-(2-Bromoethoxy)tetrahydro-2H-pyran
Product Code	322-50061,320-50062

**Supplier** FUJIFILM Wako Pure Chemical Corporation  
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan  
Phone: +81-6-6203-3741  
Fax: +81-6-6203-2029

**Emergency telephone number** +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use** Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

## Classification of the substance or mixture

Flammable liquids

Category 4

## Pictograms

Signal word

Warning

## Hazard statements

H227 - Combustible liquid

## Precautionary statements-(Prevention)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary statements-(Response)

- In case of fire: Use suitable extinguishing media for extinction

## Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep cool

## Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

## Others

Other hazards

Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C<sub>7</sub>H<sub>13</sub>BrO<sub>2</sub>

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
2-(2-Bromoethoxy)tetrahydro-2H-pyran	95	209.08	N/A	N/A	17739-45-6
Sodium Carbonate	<1	105.99	(1)-164	*	497-19-8

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** Stabilizer: Sodium Carbonate

## Section 4: FIRST AID MEASURES

### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recovery, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and

then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

**Safety handling precautions**

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Storage****Safe storage conditions****Storage conditions**

Store away from sunlight in well-ventilated place at room temperature (preferably cool).  
Keep container tightly closed.

**Safe packaging material**

Glass

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Personal protective equipment****Respiratory protection**

Protective mask

**Hand protection**

chemical protective gloves ( JIS T 8116 )

**Eye protection**

protective eyeglasses or chemical safety goggles (JIS T 8147)

**Skin and body protection**

Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form****Color**

Colorless - brown

**Appearance**

liquid

**Odor**

no data available

**Melting point/freezing point**

no data available

**Boiling point, initial boiling point and boiling range**

no data available

**Flammability**

Combustible liquid

**Evaporation rate:**

no data available

**Flammability (solid, gas):**

no data available

**Upper/lower flammability or explosive limits****Upper:**

no data available

**Lower:**

no data available

**Flash point**

87 °C

**Auto-ignition temperature:**

no data available

**Decomposition temperature:**

no data available

**pH**

no data available

**Viscosity (coefficient of viscosity)**

no data available

**Dynamic viscosity**

no data available

**Solubilities**

Ethanol , acetone : miscible . water : slightly soluble .

**n-Octanol/water partition coefficient:(log Pow)**

no data available

**Vapour pressure**

no data available

**Specific Gravity / Relative density**

1.384

**Vapour density**

no data available

**Particle characteristics**

no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

**Reactivity**

no data available

**Chemical stability**

Stable under recommended storage conditions.

**Hazardous reactions**

None under normal processing

**Conditions to avoid**

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

**Incompatible materials**

Strong oxidizing agents

**Hazardous decomposition products**
Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Halides

## Section 11: TOXICOLOGICAL INFORMATION

\*NITE: National Institute of Technology and Evaluation (JAPAN)

[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)
**Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Carbonate	2,800 mg/kg ( Rat )	>2,000 mg/kg ( Rabbit )	1.2 mg/L ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Sodium Carbonate	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Sodium Carbonate	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Skin irritation/corrosion**

Chemical Name	Skin corrosion/irritation source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Serious eye damage/ irritation**

Chemical Name	Serious eye damage/irritation source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Respiratory or skin sensitization**

Chemical Name	Respiratory or Skin sensitization source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Reproductive cell mutagenicity**

Chemical Name	germ cell mutagenicity source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Carcinogenicity**

Chemical Name	Carcinogenicity source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
Sodium Carbonate	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Sodium Carbonate	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Sodium Carbonate	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
---------------	--------------------------------------

Sodium Carbonate

Based on the NITE GHS classification results.

**Section 12: ECOLOGICAL INFORMATION**

\*NITE: National Institute of Technology and Evaluation (JAPAN)

[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Carbonate	EC50 : <i>Nitzschia</i> 242 mg/L 120 h	LC50 : <i>Lepomis macrochirus</i> 300 mg/L 96 h	EC50 : <i>Daphnia magna</i> 250 mg/L 48 h

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Sodium Carbonate	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

**Section 13: DISPOSAL CONSIDERATIONS****Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Section 14: TRANSPORT INFORMATION**

ADR/RID	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

## Section 15: REGULATORY INFORMATION

### Japanese regulations

Fire Service Act	Category IV, Class III petroleum, dangerous grade 3
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Industrial Safety and Health Act (2025-)	【2025.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
Regulations for the carriage and storage of dangerous goods in ship	【2025.4.1~】 Notifiable Substances (Law Art.57-2)
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order	Not applicable

### Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	
Notifiable Substances (Law Art.57-2)	Sodium carbonate	<1.0	2025/4/1

## Section 16: OTHER INFORMATION

### Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)  
[https://www.chem-info.nite.go.jp/en/chem/chrip/chrip\\_search/srhInput](https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput)  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
 etc

### Record of SDS revisions

The following contents were revised. Product and company Identification.  
 Composition/information on ingredients. Fire fighting measures. Exposure controls/personal protection. Toxicological information. Ecological information.  
 Regulatory information.

### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

End of Safety Data Sheet