



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 23-May-2023 Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Ethoxycarbonyl Isocyanate	
Product Code	326-88431,322-88433	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome	
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Acute toxicity - Dermal Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 3 Respiratory irritation

Category 3 Category 4 Category 4 Category 4 Category 2 Category 2A Category 3

Pictograms



Warning

Hazard statements

- H226 Flammable liquid and vapour
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- H335 May cause respiratory irritation

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction
- Precautionary statements-(Storage)
 - · Store in a well-ventilated place. Keep container tightly closed
 - Store locked up
- Precautionary statements-(Disposal)
 - · Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

Formula

C4H5NO3

Not applicable

	Chemical Name	Weight-%	Molecular weight
	Ethoxycarbonyl	90.0	115.09
	Isocyanate		
Note on ISHL No.:		* in the	table means annou

* in the table means announced chemical substances.

ENCS

N/A

ISHL No.

N/A

Impurities and/or Additives:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

CAS RN

19617-43-7

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions	Keep container protect from light, store	
	in well-ventilated place at room temperature (preferably cool). Keep container tightly	
	closed. Packed with an inert gas.	
Safe packaging material	Glass	
Incompatible substances	Strong oxidizing agents	

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection General hygiene considerations

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

liquid no data available no data available no data available Flammable liquid and vapor no data available no data available no data available no data available 35 °C no data available 1.115 no data available no data available

Colorless - reddish yellow

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

no data available

Skin irritation/corrosion Serious eye damage/ irritation Respiratory or skin sensitization Reproductive cell mutagenicity Carcinogenicity

Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard no data available no data available

no data available no data available no data available

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	No information available
Other data	no data available
Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer	No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3080 Isocyanates, toxic, flammable, n.o.s. (Ethoxycarbonyl Isocyanate) 6.1 3 II Not applicable
IMDG	
UN number	UN3080
Proper shipping name:	Isocyanates, toxic, flammable, n.o.s. (Ethoxycarbonyl Isocyanate)
UN classfication	6.1
Subsidiary hazard class	3
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code IATA	
UN number	UN3080
Proper shipping name:	Isocyanates, toxic, flammable, n.o.s. (Ethoxycarbonyl Isocyanate)
UN classfication	6.1
Subsidiary hazard class	3
Packing group	II
Environmentally Hazardous	Not applicable

Substance

Section 15: REGULATORY INFORMATION International Inventories **EINECS/ELINCS TSCA** Japanese regulations Fire Service Act Category IV, Class II petroleums, dangerous grade 3 **Poisonous and Deleterious** Not applicable Substances Control Law Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance **Regulations for the carriage** and storage of dangerous Regarding Transport by Ship and Storage, Attached Table 1) goods in ship Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air **Civil Aeronautics Law** Transportation of Explosives etc., Attached Table 1) Pollutant Release and Transfer Not applicable **Register Law** (2023.4.1-)**Export Trade Control Order** Not applicable Section 16: OTHER INFORMATION NITE: National Institute of Technology and Evaluation (JAPAN) Key literature references and sources for data etc. http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc The following contents were revised. Prodauct and company Identification. Exposure **Record of SDS revisions** controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or guality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet