



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 23-Mar-2023 Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Butyl-3-methylpyridinium Bis(trifluoromethylsulfonyl)imide	
Product Code	358-12461,354-12463	
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome	
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029	
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Skin corrosion/irritation Serious eye damage/eye irritation

Category 2 Category 2A

Pictograms



Warning

Hazard statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

Not applicable

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

C10H16N·C2F6NO4S

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-Butyl-3-methylpyridini	97	430.39	N/A	8-(1)-3407	344790-86-9
um					
bis(trifluoromethylsulfony					
I)imide					
Note on ISHL No.:	* in the	table means announ	ced chemical subst	ances.	

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Recoverly, neutralization	ust and the waste. Collect empty container that can be sealed.
No information available	
Secondary disaster prevention Clean contaminated objects a	measures and areas thoroughly observing environmental regulations.
	Section 7: HANDLING AND STORAGE
Handling	
Technical measures	
	act with high temperature objects, spark, and strong oxidizing agents. Use with local exhaus
ventilation.	
scattering. Not to generate ste then gargle In places other the contaminated protective equip	ners, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought pment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the
Do not rough handling contair scattering. Not to generate ste then gargle In places other tha contaminated protective equip handling area	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought
Do not rough handling contair scattering. Not to generate sta then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoit	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought
Do not rough handling contair scattering. Not to generate sta then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoi with skin, eyes or clothing. Us Storage	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought oment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the id static electricity discharge (which might cause ignition of organic vapors). Avoid contact
Do not rough handling contair scattering. Not to generate sta then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoi with skin, eyes or clothing. Us Storage	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought oment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the id static electricity discharge (which might cause ignition of organic vapors). Avoid contact se personal protective equipment as required.
Do not rough handling contair scattering. Not to generate sta then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoi with skin, eyes or clothing. Us Storage	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought oment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the id static electricity discharge (which might cause ignition of organic vapors). Avoid contact
Do not rough handling contair scattering. Not to generate sta then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoi with skin, eyes or clothing. Us Storage Safe storage conditions	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought oment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the id static electricity discharge (which might cause ignition of organic vapors). Avoid contact se personal protective equipment as required. Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Glass
Do not rough handling contair scattering. Not to generate ste then gargle In places other tha contaminated protective equip handling area Safety handling precautions Take necessary action to avoi with skin, eyes or clothing. Us <u>Storage</u> Safe storage conditions Storage conditions	eam and dust in vain. Seal the container after use. After handling, wash hands and face, and an those specified, should not be smoking or eating and drinking Should not be brought oment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the id static electricity discharge (which might cause ignition of organic vapors). Avoid contact se personal protective equipment as required. Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed.

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment **Respiratory protection** Hand protection Eye protection Skin and body protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability

Colorless - orangish yellow liquid no data available no data available no data available no data available

Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits	no data available no data available
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	No data available
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Skin irritation/corrosion Serious eye damage/ irritation Respiratory or skin sensitization Reproductive cell mutagenicity Carcinogenicity

Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard no data available

no data available no data available no data available no data available no data available no data available

no data available no data available no data available

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

no data available

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Marine pollutant	Not applicable
IMDG UN number Proper shipping name: UN classfication Subsidiary hazard class Booking group	Not regulated -
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated -
Environmentally Hazardous Substance	Not applicable

Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA	-
Japanese regulations	
Fire Service Act	Category IV, Class IV petroleums, dangerous grade 3
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Act	tNot applicable
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable

Export Trade Control Order	Not applicable
	Section 16: OTHER INFORMATION
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet