



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 06-Apr-2022 Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Polyoxyethylene(20) Nonylphenyl Ether		
Product Code	353-18491,351-18492		
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964		
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029		
Emergency telephone number Recommended uses and restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only		

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Skin corrosion/irritation Serious eye damage/eye irritation Reproductive Toxicity Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 2A Category 2 Category 1 Category 2

Pictograms



Signal word

Warning

Hazard statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Avoid release to the environment
- Precautionary statements-(Response)
 - IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- · If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- Collect spillage

Precautionary statements-(Storage) • Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

(C2H4O)nC15H24O (n=20)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Nonylphenyl-polyethylen	=<100	N/A	(7)-172	公表	9016-45-9
e glycol					

* in the table means announced chemical substances.

Note on ISHL No.:

Impurities and/or Additives:

Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES	Section	5: FIRE	FIGHTING	MEASURES
-----------------------------------	---------	---------	----------	----------

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Storage

Safe storage conditions	
Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly
	closed.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents
-	

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask Protection gloves protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits	White - pale yellow liquid characteristic odor 57 - 58 °C no data available no data available no data available no data available
Upper:	no data available
Lower:	no data available
Flash point	113 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water : soluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	no data available
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenyl-polyethylene	2590 mg/kg (Rat)1310	1780 µL/kg (Rabbit)2 mL/kg	N/A
glycol	mg/kg (Rat)	(Rabbit)	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Nonylphenyl-polyethylene glycol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

STOT -repeated exposure- source information

Aspiration Hazard source information

Chemical Name	Serious eye damage/irritation source information	
Nonylphenyl-polyethylene glycol	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Nonylphenyl-polyethylene glycol	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Nonylphenyl-polyethylene glycol	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Nonylphenyl-polyethylene glycol	Based on the NITE GHS classification results.	
Reproductive toxicity		
Reproductive toxicity Chemical Name	Reproductive toxicity source information	
	Reproductive toxicity source information Based on the NITE GHS classification results.	
Chemical Name Nonylphenyl-polyethylene glycol		
Chemical Name		

STOT-repeated exposure **Chemical Name** Based on the NITE GHS classification results. Nonylphenyl-polyethylene glycol Aspiration hazard **Chemical Name** Nonylphenyl-polyethylene glycol Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nonylphenyl-polyethylene	N/A	N/A	LC50 : Mysidopsis bahia
glycol			0.71 - 2.2 mg/L 48h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Nonylphenyl-polyethylene glycol		Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number

UN3082

Proper shipping name: UN classfication	Environmentally hazardous substance, liquid, n.o.s. (Nonylphenyl-polyethylene glycol) 9
Subsidiary hazard class	
Packing group	
Marine pollutant	Yes
IMDG	
UN number	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Nonylphenyl-polyethylene glycol)
UN classfication	9
Subsidiary hazard class	Ŭ
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Nonylphenyl-polyethylene glycol)
UN classfication	9
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Yes
Substance	
Se	ction 15: REGULATORY INFORMATION
International Inventories	
EINECS/ELINCS	Listed
TSCA	Listed
TOOR	
Japanese regulations	
Fire Service Act	Not applicable
Poisonous and Deleterious	Not applicable
Substances Control Law	
Industrial Safety and Health Ac	t Not applicable
Act on the Evaluation of	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Chemical Substances and	

Act on the Evaluation of	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Chemical Substances and Regulation of Their	
Manufacture, etc	
Regulations for the carriage	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous goods in ship	Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art. 194, MITL Nortification
	for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Law	
Pollutant Release and Transfer	Class 1
Register Law	
(~2023.3.31)	
Class 1 - No.	410
Pollutant Release and Transfer	<u>Class 1</u>
Register Law	
<u>(2023/4/1~)</u> Class 1 - No.	410
Export Trade Control Order	Not applicable
Export frade control Order	

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Nonylphenyl-polyethylene glycol 9016-45-9(=<100)	-	-	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
	Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet