



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 1.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product NameDiallylhexahydrophthalateProduct Code358-44912

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Pictograms

Signal word None

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Precautionary statements-(Prevention)

Not applicable

Precautionary statements-(Response)

Not applicable

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

Not applicable

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
diallyl	97	252.30	(3)-2434	公表	13846-31-6
hexahydrophthalate					
Toluene	<1.50	92.14	(3)-2,(3)-60	*	108-88-3
Hydroquinone monomethyl ether	0.01	124.14	(3)-567	*	150-76-5

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: [Stabilizer]Hydroquinone Monomethyl Ether

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought

contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Toluene 108-88-3	TWA: 50 ppm OEL TWA: 188 mg/m³ OEL Skin ISHL/ACL: 20 ppm	ISHL/ACL: 20 ppm	TWA: 20 ppm
Hydroquinone monomethyl ether 150-76-5	N/A	N/A	TWA: 5 mg/m³

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Colorless - slight yellow

Appearance liquid

Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
no data available
rlash point
no data available
Auto-ignition temperature:
no data available
no data available
pecomposition temperature:
no data available
no data available
ph no data available
viscosity (coefficient of viscosity)
no data available

Dynamic viscosityno data availableSolubilitiesNo data availablen-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density1.06 g/mLVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Toluene	5000 mg/kg (Rat)	12000 mg/kg (Rat)	7460 ppm (Rat) 4 h (vapor)
Hydroquinone monomethyl ether	1600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1 0140110			Based on the NITE GHS classification results.
Try droquitions monomonity care			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1 6146116			Based on the NITE GHS classification results.
1			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

	concae cyc admage, mindion			
Chemical Name		Serious eye damage/irritation source information		
	Toluene	Based on the NITE GHS classification results.		
	Hydroguinone monomethyl ether	Based on the NITE GHS classification results.		

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

nation
ı

Toluene	Based on the NITE GHS classification results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Toluene	-	Group 3		-
108-88-3		·		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Toluene	Based on the NITE GHS classification results.	
Hydroquinone monomethyl ether	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name Aspiration Hazard sour		Aspiration Hazard source information
	Toluene	Based on the NITE GHS classification results.
	Hydroguinone monomethyl ether	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Toluene	EC50:Pseudokirchneriella	LC50:Pimephales promelas	EC50:Ceriodaphnia dubia
	subcapitata	15.22 - 19.05 mg/L 96 h	3.78 mg/L 48 h
	433 mg/L 96 h	_	-
Hydroquinone monomethyl	N/A	N/A	EC50 : Daphnia magna
ether			2.2 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification
	results.	results.
Hydroquinone monomethyl ether	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class Packing group

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Not applicable

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Notifiable Substances (Law Art.57-2)

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of Chemical Substances and Regulation of Their

Manufacture, etc

Regulations for the carriage and storage of dangerous

Not applicable

goods in ship

Civil Aeronautics Law Not applicable Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Toluene	-	Applicable	-

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)
108-88-3 (<1.50)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet