## **SPECIFICATION**

## CultureSureR L-Proline, Animal-derived-free

## for Cell Culture

| REQUIREMENT |   | SPECIFICATION                        |
|-------------|---|--------------------------------------|
|             | Description   | White crystals or crystalline powder |
|             | Identification  | to pass test                         |
|             | Optical rotation [ $\alpha$ ]D20 (calculated on the dried basis) pH | -84.0∼-86.0°                         |
|             |   | 5.9~6.9                              |
|             | Purity  | -                                    |
| (1)         | Clarity and color of solution                                       | to pass test                         |
| (2)         | Chloride  | max.0.021%                           |
| (3)         | Sulfates  | max.0.028%                           |
| (4)         | Ammonium  | max.0.02%                            |
| (5)         | Heavy metals  | max.10ppm                            |
| (6)         | Iron  | max.10ppm                            |
| (7)         | Related substances  | to pass test                         |
|             | Loss on drying  | max.0.3%                             |
|             | Residue on ignition   | max.0.1%                             |
|             | Assay (calculated on the dried basis)                               | 99.0~101.0%                          |
|             | Bacterial endotoxins  | less than 11.1EU/g                   |
|             | Mycoplasma test   | to pass test                         |
|             | Viable count test   | max.50CFU/g                          |

(1 / 1) revised on 2021/04/06