2024/10/12

Distributed by FUJIFILM Wako Pure Chemical Corporation

Manufactured by FUJIFILM Wako Pure Chemical Corporation

Code No.16-2664

SPECIFICATION

Pesticide Mixture Standard Solution PL-1-2 (each 20 μg/mL Acetone Solution)

for Pesticide Residue Analysis

REQUIREMENT	SPECIFICATION
Appearance	Yellow clear liquid
Practical test	to pass test
Omethoate	19.4～20.6 μg/mL
Trifluralin	19.4～20.6 μg/mL
Dimethoate	19.4～20.6 μg/mL
Atrazine	19.4～20.6 μg/mL
Terbufos	19.4～20.6 μg/mL
Tefluthrin	19.4～20.6 μg/mL
Spiroxamine	19.4～20.6 μg/mL
Chlorpyrifos-methyl	19.4～20.6 μg/mL
Terbutryn	19.4～20.6 μg/mL
Thiobencarb (Benthiocarb)	19.4～20.6 μg/mL
Malathion (Malathon)	19.4～20.6 μg/mL
Fenpropimorph	19.4～20.6 μg/mL
Pendimethalin	19.4～20.6 μg/mL
Penconazole	19.4～20.6 μg/mL
Procymidone	19.4～20.6 μg/mL
Methidathion (DMTP)	19.4～20.6 μg/mL
Fenamiphos	19.4～20.6 μg/mL
Oxadiazon	19.4～20.6 μg/mL
Kresoxim-methyl	19.4～20.6 μg/mL
Chlorfenapyr	19.4～20.6 μg/mL
Pyrethrins	19.4～20.6 μg/mL
Norflurazon	19.4～20.6 μg/mL
Diflufenican	19.4～20.6 μg/mL
Bifenthrin	19.4～20.6 μg/mL
Azinphos-methyl	19.4～20.6 μg/mL
Fenarimol	19.4～20.6 μg/mL
trans-Permethrin	19.4～20.6 μg/mL

cis-Permethrin	19.4～20.6μg/mL
Cyfluthrin	19.4～20.6μg/mL
Flucythrinate	19.4～20.6μg/mL
Fluvalinate	19.4～20.6μg/mL