

SPECIFICATION

Sodium Hydrogen Carbonate

for RoHS

REQUIREMENT	SPECIFICATION
Appearance	White crystalline powder
Assay (NaHCO ₃)	99.5~100.3%(mass/mass)
Solubility in water	to pass test
Loss on drying	max.0.1%(mass/mass)
Chloride (Cl)	max.0.001%(mass/mass)
Phosphate (PO ₄)	max.5ppm(mass/mass)
Silicate (as SiO ₂)	max.0.001%(mass/mass)
Sulfate (SO ₄)	max.0.003%(mass/mass)
Nitrogen compounds (as N)	max.5ppm(mass/mass)
Potassium (K)	max.0.005%(mass/mass)
Copper (Cu)	max.2ppm(mass/mass)
Magnesium (Mg)	max.5ppm(mass/mass)
Calcium (Ca)	max.0.005%(mass/mass)
Zinc (Zn)	max.2ppm(mass/mass)
Lead (Pb)	max.2ppm(mass/mass)
Iron (Fe)	max.5ppm(mass/mass)
Substances reducing iodine	to pass test
Cadmium (Cd) (RoHS)	max.10ppm
Mercury (Hg) (RoHS)	max.10ppm
Lead (Pb) (RoHS)	max.2ppm
Chromium (Cr) (RoHS)	max.10ppm
Brominated flame retardants (as Br) (RoHS)	max.1ppm