



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 03-Oct-2023

Revision Number 2.07

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Polyacrylic Acid 1,000,000 |
|--------------|----------------------------|
| Product Code | 162-18601                  |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

**Emergency telephone number** +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Carcinogenicity
Specific target organ toxicity (repeated exposure)

Category 1 respiratory system

Category 2 Category 1

#### **Pictograms**



Signal word

Danger

### **Hazard statements**

H351 - Suspected of causing cancer

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

### Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

### **Precautionary statements-(Storage)**

· Store locked up

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula [-CH2CH(COOH)-]n

| Chemical Name      | Weight-% | Molecular weight | ENCS    | ISHL No. | CAS RN    |
|--------------------|----------|------------------|---------|----------|-----------|
| Poly(acrylic acid) | =<100    | N/A              | (6)-898 | *        | 9003-01-4 |

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Substances Remarks: Average Mol. Wt.: abt. 1,000,000

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

## Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

### Special protective actions for

### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

### Recoverly, neutralization

No information available

## Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

### **Handling**

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

**Storage conditions** Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polypropylene

Incompatible substances Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

| Chemical Name      | JSOH (Japan) | ISHL (Japan) | ACGIH                   |
|--------------------|--------------|--------------|-------------------------|
| Poly(acrylic acid) | N/A          | N/A          | TWA 10ppm(acrylic acid) |
| 9003-01-4          |              |              |                         |

Personal protective equipment

**Respiratory protection** Dust mask ( JIS T 8151 )

**Hand protection** chemical protective gloves (JIS T 8116) **Eye protection** protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Form

**Color** white

Appearance crystalline powder - powder Odor no data available

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or

explosive limits

Upper:
Lower:
no data available
no data available
Flash point
no data available
Auto-ignition temperature:
no data available
no data available
no data available
ph
mild acidic (aq.)

\_\_\_\_\_

Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available

**Solubilities** water, Ethanol: soluble. acetone: practically insoluble, or

insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density no data available Vapour density no data available **Particle characteristics** no data available

## **Section 10: STABILITY AND REACTIVITY**

### **Stability**

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

**Conditions to avoid** 

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

## Section 11: TOXICOLOGICAL INFORMATION

**Acute toxicity** 

| Chemical Name      | Oral LD50        | Dermal LD50          | Inhalation LC50    |
|--------------------|------------------|----------------------|--------------------|
| Poly(acrylic acid) | 2500 mg/kg (Rat) | > 2000 mg/kg ( Rat ) | 1.71 mg/L (Rat)4 h |

| Chemical Name      | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas-<br>source information |
|--------------------|--|--|---|
| Poly(acrylic acid) | Based on the NITE GHS                    | Based on the NITE GHS                      | Based on the NITE GHS                                 |
|                    | classification results.                  | classification results.                    | classification results.                               |

| Chemical Name        | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust-<br>source information | Acute toxicity -inhalation mist-<br>source information |
|----------------------|--|--|--|
| 1 013 (4013110 4014) |  |  | Based on the NITE GHS classification results.          |

## Skin irritation/corrosion

| Chemical Name                  | Skin corrosion/irritation source information  |
|--------------------------------|---|
| Poly(acrylic acid)             | Based on the NITE GHS classification results. |
| Serious eve damage/ irritation |   |

| Chemical Name      | Serious eye damage/irritation source information |  |  |
|--------------------|--|--|--|
| Poly(acrylic acid) | Based on the NITE GHS classification results.    |  |  |

Respiratory or skin sensitization **Chemical Name** 

| Poly(acrylic acid)             | Based on the NITE GHS classification results. |
|--------------------------------|---|
| Reproductive cell mutagenicity |   |

**Chemical Name** 

| Poly(acrylic acid) | Based on the NITE GHS classification results. |
|--------------------|---|
| Carcinogenicity    |   |
| 01 1 111           |   |

| Chemical Name      | Carcinogenicity source information            |  |
|--------------------|---|--|
| Poly(acrylic acid) | Based on the NITE GHS classification results. |  |

| Chemical Name      | NTP | IARC    | ACGIH | JSOH (Japan) |
|--------------------|-----|---------|-------|--------------|
| Poly(acrylic acid) |     | Group 3 |       |              |
| 9003-01-4          |     |         |       |              |

Respiratory or Skin sensitization source information

germ cell mutagencity source information

Reproductive toxicity

| Chemical Name          | Reproductive toxicity source information      |  |  |  |
|------------------------|---|--|--|--|
| Poly(acrylic acid)     | Based on the NITE GHS classification results. |  |  |  |
| STOT-single exposure   |   |  |  |  |
| Chemical Name          | STOT -single exposure- source information     |  |  |  |
| Poly(acrylic acid)     | Based on the NITE GHS classification results. |  |  |  |
| STOT-repeated exposure |   |  |  |  |
| Chemical Name          | STOT -repeated exposure- source information   |  |  |  |
| Poly(acrylic acid)     | Based on the NITE GHS classification results. |  |  |  |
| Aspiration hazard      |   |  |  |  |
| Chemical Name          | Aspiration Hazard source information          |  |  |  |
| Poly(acrylic acid)     | Based on the NITE GHS classification results. |  |  |  |

## **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

| Chemical Name      | Algae/aquatic plants | Fish                     | Crustacea       |
|--------------------|----------------------|--------------------------|-----------------|
| Poly(acrylic acid) | N/A                  | LC50:Lepomis macrochirus | EC50:water flea |
|                    |                      | 580 mg/L 96 h            | 168 mg/L 96 h   |

#### Other data

| Chemical Name      | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|--------------------|--|---|
| Poly(acrylic acid) | Based on the NITE GHS classification                                       | Based on the NITE GHS classification  |
|                    | results.   | results.  |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number Proper shipping name:

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Substances Control Law
Not applicable

Industrial Safety and Health Act Not applicable

Act on the Evaluation of Priority Assessment Chemical Substances (Law Article 2, Para.5)

Chemical Substances and Regulation of Their Manufacture, etc

Regulations for the carriage Not applicable and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable
Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

**Class 1 - No.** 565

**Export Trade Control Order** Not applicable

| Chemical Name                             | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2) | Pollutant Release and Transfer<br>Register Law<br>(2023.4.1-) |
|---|---|--|---|
| Poly(acrylic acid)<br>9003-01-4 ( =<100 ) | -   | -  | Applicable  |

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**