



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 17-Feb-2023 Revision Number 3.02

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | 0.2mol/l Sodium Hydroxide Solution |
|--------------|------------------------------------|
| Product Code | 190-05395,198-05391 |

Manufacturer FUJIFILM Wako Pure Chemical Corporation

> 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964 **Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and

+81-6-6203-3741 / +81-3-3270-8571 For research use only

restrictions on use

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture Skin corrosion/irritation Serious eye damage/eye irritation

Category 2 Category 2A

Pictograms



Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

- Precautionary statements-(Response)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
 - If eye irritation persists: Get medical advice/attention
 - IF ON SKIN: Wash with plenty of soap and water
 - If skin irritation occurs: Get medical advice/attention
 - · Take off contaminated clothing and wash before reuse

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

Not applicable

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Formula NaOH

| | Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|---|-----------------|----------|------------------|---------|----------|-----------|
| | Water | <99.2 | 18.02 | N/A | N/A | 7732-18-5 |
| S | odium Hydroxide | 0.8 | 40.00 | (1)-410 | * | 1310-73-2 |

Note on ISHL No.:

Impurities and/or Additives:

Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. Immediate medical attention is required.

Skin contact

Wash off immediately with soap and plenty of water. Immediate medical attention is required.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

^{*} in the table means announced chemical substances.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with acidic substances Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polyethylene Incompatible substances Acidic substances

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| | Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---|------------------|--------------|--------------|------------------------------|
| , | Sodium Hydroxide | 2mg/m³ | N/A | Ceiling: 2 mg/m ³ |
| | 1310-73-2 | | | |

Personal protective equipment

Respiratory protection Protective mask Hand protection Protection gloves

Eye protection protective eyeglasses or chemical safety goggles
Skin and body protection Long-sleeved work clothes, protective boots

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquidOdorOdorless

Melting point/freezing pointno data availableBoiling point, initial boiling point and boiling rangeno data availableFlammabilityno data availableEvaporation rate:no data availableFlammability (solid, gas):no data available

Upper/lower flammability or

explosive limits

Upper: no data available

no data available Lower: Flash point no data available no data available **Auto-ignition temperature: Decomposition temperature:** no data available Strongly basic (aq.) pН

Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities water, Ethanol: miscible.

n-Octanol/water partition coefficient:(log Pow) no data available

no data available Vapour pressure

Specific Gravity / Relative density 1.008

no data available Vapour density **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

no data available Reactivity

Chemical stability Easy to absorb the carbon dioxide in the air.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Acidic substances

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|------------------|--|--|---|
| Sodium Hydroxide | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|--------------------|--|--|--|
| Codiditi Hydroxido | | | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information | | | |
|--------------------------------|--|--|--|--|
| Sodium Hydroxide | Based on the NITE GHS classification results. | | | |
| Serious eye damage/ irritation | | | | |
| Chemical Name | Serious eve damage/irritation source information | | | |

Sodium Hydroxide Based on the NITE GHS classification results

Respiratory or skin sensitization **Chemical Name**

| Sodium Hydroxide Based on the NITE GHS classification results. | | | | |
|--|--|--|--|--|
| Reproductive cell mutagenicity | | | | |
| Chemical Name | germ cell mutagencity source information | | | |

Sodium Hydroxide

| Carcinogenicity | |
|------------------|---|
| Chemical Name | Carcinogenicity source information |
| Sodium Hydroxide | Based on the NITE GHS classification results. |

Reproductive toxicity

Respiratory or Skin sensitization source information

Based on the NITE GHS classification results.

| Chemical Name | Reproductive toxicity source information | |
|--|---|--|
| Sodium Hydroxide | Based on the NITE GHS classification results. | |
| STOT-single exposure | | |
| Chemical Name | STOT -single exposure- source information | |
| Sodium Hydroxide | Based on the NITE GHS classification results. | |
| STOT-repeated exposure | | |
| Chemical Name | STOT -repeated exposure- source information | |
| Sodium Hydroxide Based on the NITE GHS classification results. | | |
| Aspiration hazard | · | |
| Chemical Name | Aspiration Hazard source information | |
| Sodium Hydroxide | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|------------------|----------------------|------|-------------------------------|
| Sodium Hydroxide | N/A | N/A | LC50 : Ceriodaphnia pulchella |
| | | | 40 mg/L 48 h |

Other data

| . data | | |
|------------------|--|---|
| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
| Sodium Hydroxide | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. |

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1824

Proper shipping name: Sodium hydroxide solution

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1824

Proper shipping name: Sodium hydroxide solution

UN classfication Subsidiary hazard class Ш

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1824

Sodium hydroxide solution Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous

Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS TSCA

Japanese regulations

Fire Service Act Not applicable Not applicable **Poisonous and Deleterious Substances Control Law**

Industrial Safety and Health Act Not applicable Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage

Transport by Ship and Storage, Attached Table 1)

and storage of dangerous goods in ship

Civil Aeronautics Law

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law $(\sim 2023.3.31)$

Pollutant Release and Transfer

Not applicable

Register Law

(2023/4/1~)

Water Pollution Control Act Export Trade Control Order

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet