



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 03-Oct-2023

Revision Number 1.07

Category 2

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1 CLPAH
Product Code	352-41132

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Carcinogenicity
Specific target organ toxicity (repeated exposure)

Category 1 respiratory system

city (repeated exposure) Category 1

**Pictograms** 



Signal word

Danger

#### **Hazard statements**

H351 - Suspected of causing cancer

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

### Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

### **Precautionary statements-(Storage)**

· Store locked up

#### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

\_\_\_\_\_\_

### Single Substance or Mixture Substance

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Poly(acrylic acid)	=<100	N/A	(6)-898	*	9003-01-4

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

#### Special protective actions for

## fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: HANDLING AND STORAGE**

### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Poly(acrylic acid)	N/A	N/A	TWA 10ppm(acrylic acid)
9003-01-4			

Personal protective equipment

Dust mask (JIS T 8151) Respiratory protection

Hand protection chemical protective gloves (JIS T 8116) Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color white

powder, mass **Appearance** 

Slightly characteristic odor Odor no data available

Melting point/freezing point no data available Boiling point, initial boiling point and boiling range no data available **Flammability Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available Auto-ignition temperature: no data available **Decomposition temperature:** no data available no data available Viscosity (coefficient of viscosity) 120 - 400 mPa s **Dynamic viscosity** no data available

Solubilities alcohol: soluble. chloroform: insoluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

## **Section 10: STABILITY AND REACTIVITY**

#### **Stability**

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Poly(acrylic acid)	2500 mg/kg (Rat)	> 2000 mg/kg ( Rat )	1.71 mg/L (Rat)4 h	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
i diy(adiyiid adia)			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Poly(acrylic acid)	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Poly(acrylic acid)	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Poly(acrylic acid)	Based on the NITE GHS classification results.	
Descriptions on although the state of the st		

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information		
Poly(acrylic acid)	Based on the NITE GHS classification results.		

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Poly(acrylic acid)	Based on the NITE GHS classification results.
Carcinogonicity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
Poly(acrylic acid)	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Poly(acrylic acid)		Group 3		
9003-01-4		·		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Poly(acrylic acid)	Based on the NITE GHS classification results.	

\_\_\_\_\_\_

**STOT-single exposure** 

Chemical Name	STOT -single exposure- source information	
Poly(acrylic acid)	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Poly(acrylic acid)	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	

### Section 12: ECOLOGICAL INFORMATION

Based on the NITE GHS classification results.

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Poly(acrylic acid)	N/A	LC50:Lepomis macrochirus	EC50:water flea
		580 mg/L 96 h	168 mg/L 96 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Poly(acrylic acid)	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Poly(acrylic acid)

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number

Proper shipping name: UN classfication

Subsidiary hazard class

**Packing group** 

Marine pollutant Not applicable

IMDG Not regulated

UN number

Proper shipping name: UN classfication Subsidiary hazard class

Subsidiary nazaru ciass

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: **UN classfication** Subsidiary hazard class Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Not applicable Poisonous and Deleterious Not applicable **Substances Control Law** 

Industrial Safety and Health Act Not applicable

Act on the Evaluation of Priority Assessment Chemical Substances (Law Article 2, Para.5) **Chemical Substances and** 

**Regulation of Their** Manufacture, etc

Regulations for the carriage Not applicable

and storage of dangerous

goods in ship

**Civil Aeronautics Law** Not applicable Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

> Class 1 - No. 565

**Export Trade Control Order** Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Poly(acrylic acid) 9003-01-4 ( =<100 )	-	-	Applicable

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**