



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N,N,N',N'-Tetramethylethylenediamine
Product Code	202-04003,206-04006
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Acute toxicity - Oral Acute toxicity - Dermal Acute toxicity - Inhalation (Vapors) Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 1 central nervous system

Category 2
Category 4
Category 4
Category 3
Category 1
Category 1
Category 1





eigna nera

Hazard statements

- H225 Highly flammable liquid and vapor
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H331 Toxic if inhaled
- H370 Causes damage to the following organs: central nervous system

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

· In case of fire: Use suitable extinguishing media for extinction

- Precautionary statements-(Storage)
 - · Store in a well-ventilated place. Keep container tightly closed
 - Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

(CH3)2NCH2CH2N(CH3)2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N,N,N',N'-Tetramethylet	98.0	116.20	(2)-155	公表	110-18-9
hylenediamine					
Note on ISHL No.:	* in the	table means announ	ced chemical substa	inces.	

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Packed with an inert gas. Safe packaging material Incompatible substances Glass

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection

Hand protection

Eye protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** рΗ Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

Colorless - slightly yellow clear liquid light, characteristic odor -55.1 °C 120 °C no data available no data available no data available 1.0 % 9.1 % 10 °C no data available water, Ethanol, acetone: Very soluble. 0.3 no data available 0.772 - 0.777 g/mL 4.03 no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N,N,N',N'-Tetramethylethylene diamine	469 mg/kg (Rat)	1750mg/kg (rbt)	1318 ppm (Rat)4 h > 1180 ppm (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
N,N,N',N'-Tetramethylethylenediami	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
ne	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
N,N,N',N'-Tetramethylethylenediami			Based on the NITE GHS
ne	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

ſ	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
		aquatic environment source information	aquatic environment source information
ſ	N,N,N',N'-Tetramethylethylenediamine	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.

Persistence and degradability Bioaccumulative potential

No information available No information available

Mobility in soil Hazard to the ozone layer

No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN2372 1,2-Di-(dimethylamino)ethane 3 II Not applicable
IMDG	
UN number	UN2372
Proper shipping name:	1,2-Di(dimethylamino)ethane
UN classfication	3
Subsidiary hazard class Packing group	Ш
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN2372
Proper shipping name: UN classfication	1,2-Di-(dimethylamino) ethane
Subsidiary hazard class	3
Packing group	П
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Act	Category IV, Class I petroleums, dangerous grade 2 water-soluble Not applicable t Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	
Export Trade Control Order	Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet